COMPANY NAME	EPCOR WATER	
Name of System: Sun City	ADEQ Public Water System Number:	04-07-099

WATER USE DATA SHEET BY MONTH FOR CALENDAR YEAR 2015

		A	B	C	D	E	F	G
MONTH	NUMBER OF CUSTOMERS	GALLONS PUMPED (Thousands)	GALLONS PURCHASED (Thousands)	TOTAL PRODUCTION (Thousands)	GALLONS AUTHORIZED UNBILLED (Thousands)	GALLONS SOLD (Thousands)	TOTAL NRW (Thousands)	% NON-ACCOUNT WATER (Thousands)
							=(C-D-E)/C	
JANUARY	22,975	254,090		254,090	1,805	237,229	15,056	5.93%
FEBRUARY	22,986	235,723		235,723	1,608	215,565	18,550	7.87%
MARCH	23,010	277,100		277,100	1,868	209,722	65,510	23.64%
APRIL	22,995	316,589		316,589	15,026	251,718	49,845	15.74%
MAY	22,981	359,905		359,905	1,553	297,174	61,178	17.00%
JUNE	22,973	399,321		399,321	11,726	313,457	74,138	18.57%
JULY	22,968	444,262		444,262	1,747	386,353	56,162	12.64%
AUGUST	22,976	443,216		443,216	1,853	419,418	21,945	4.95%
SEPTEMBER	22,944	350,700		350,700	1,409	407,887	(58,596)	-16.71%
OCTOBER	23,068	371,512		371,512	1,662	294,789	75,061	20.20%
NOVEMBER	23,105	309,242		309,242	1,468	347,014	(39,240)	-12.69%
DECEMBER	23,102	263,077		263,077	1,698	268,810	(7,431)	-2.82%
	TOTALS ->			**4,024,737**	**43,423**	**3,649,136**	**332,178**	**8.25%**

What is the level of arsenic for each well on your system. _____mg/l
(If more than one well, please list each separately) - **See attached**

If system has fire hydrants, what is the fire flow requirement? _____GPM for _____ hrs

If system has chlorination treatment, does this treatment system chlorinate continuously?
( ) Yes ( ) No

Is the Water Utility located in an ADWR Active Management Area (AMA)?
(X) Yes ( ) No

Does the Company have an ADWR Gallons Per Capita Per Day (GPCPD) requirement?
(X) Yes ( ) No

If yes, provide the GPCPD amount: 255*

*Estimate

EPCOR Water

Central Division - Sun City (07-099)

	Description	Quantity of Water (Kgal) JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
A	**Gallons Pumped**													
	Water Treatment													
	Wells	254,090	235,723	277,100	316,589	359,905	399,321	444,262	443,216	350,700	371,512	309,242	263,077	**4,024,737**
B	**Gallons Purchased**													
C	**Total Production**	**254,090**	**235,723**	**277,100**	**316,589**	**359,905**	**399,321**	**444,262**	**443,216**	**350,700**	**371,512**	**309,242**	**263,077**	**4,024,737**
	Authorized Unbilled/Consumption													
	In-Plant Usage	1,218	978	828	916	1,096	11,227	1,240	1,348	954	1,163	968	771	**22,707**
	Mixing Chemicals - Field													
	Well Pumped Waste	142	190	570	13,664		13	9	75	22	71	71	185	**15,012**
	Flushing Mains	15			14				2	5			200	**236**
	Identified Fire Usage													
	Vandalism													
	Street Cleaning	2			20							1	2	**25**
	Draining Storage Tanks									22	10			**32**
	Online Analyzers & Chlorinators	402	402	402	402	402	402	402	402	402	402	402	402	**4,824**
	Field Meter Testing													
	Fire Hydrant Maintenance	4	8	4		2	3					4	2	**27**
	Flushing Sewer Mains	22	30	64	10	53	81	96	26	4	16	22	136	**560**
D	**Total Water Losses**	**1,805**	**1,608**	**1,868**	**15,026**	**1,553**	**11,726**	**1,747**	**1,853**	**1,409**	**1,662**	**1,468**	**1,698**	**43,423**
E	**Gallons Sold**													
	Residential	187,812	171,297	165,984	199,321	231,427	237,225	295,113	322,296	312,971	221,862	274,301	210,220	**2,829,829**
	Commercial	48,880	44,084	43,262	51,948	65,504	75,919	90,764	96,404	94,366	72,406	72,035	58,402	**813,974**
	Industrial													
	Fire Service													
	OPA													
	Resale													
	Miscellaneous	537	184	476	449	243	313	476	718	550	521	678	188	**5,333**
	Total Sales	**237,229**	**215,565**	**209,722**	**251,718**	**297,174**	**313,457**	**386,353**	**419,418**	**407,887**	**294,789**	**347,014**	**268,810**	**3,649,136**
F	**Non-Account Water**													
	Gallons	=C-D-E	15,056	18,550	65,510	49,845	61,178	74,138	56,162	21,945	(58,596)	75,061	(39,240)	(7,431)	332,178
	Percentage	=(C-D-E)/C	5.93%	7.87%	23.64%	15.74%	17.00%	18.57%	12.64%	4.95%	-16.71%	20.20%	-12.69%	-2.82%	8.25%

Negative numbers indicate quantity or percentage above production or 100%

COMPANY NAME	EPCOR WATER	
Name of System: Tierra Del Rio	ADEQ Public Water System Number:	04-07-532

WATER USE DATA SHEET BY MONTH FOR CALENDAR YEAR 2015

		A	B	C	D	E	F	G
MONTH	NUMBER OF CUSTOMERS	GALLONS PUMPED (Thousands)	GALLONS PURCHASED (Thousands)	TOTAL PRODUCTION (Thousands)	GALLONS AUTHORIZED UNBILLED (Thousands)	GALLONS SOLD (Thousands)	TOTAL NRW (Thousands)	% NON-ACCOUNT WATER (Thousands)
							=(C-D-E)/C	
JANUARY	581	7,212		7,212	204	6,674	334	4.63%
FEBRUARY	590	7,824		7,824	158	5,643	2,023	25.86%
MARCH	610	9,774		9,774	388	6,634	2,752	28.16%
APRIL	635	10,715		10,715	503	8,565	1,647	15.37%
MAY	678	11,186		11,186	405	8,941	1,840	16.45%
JUNE	695	14,591		14,591	421	9,846	4,324	29.63%
JULY	725	14,981		14,981	10,257	14,110	(9,386)	-62.65%
AUGUST	753	16,836		16,836	244	13,546	3,046	18.09%
SEPTEMBER	785	16,374		16,374	235	16,361	(222)	-1.36%
OCTOBER	790	12,958		12,958	205	12,784	(31)	-0.24%
NOVEMBER	810	10,371		10,371	156	10,407	(192)	-1.85%
DECEMBER	821	10,257		10,257	164	9,737	356	3.47%
	TOTALS ->			**143,079**	**13,340**	**123,248**	**6,491**	**4.54%**

What is the level of arsenic for each well on your system. _____mg/l
(If more than one well, please list each separately) - **See attached**

If system has fire hydrants, what is the fire flow requirement? _____GPM for _____ hrs

If system has chlorination treatment, does this treatment system chlorinate continuously?
( ) Yes ( ) No

Is the Water Utility located in an ADWR Active Management Area (AMA)?
( ) Yes ( ) No

Does the Company have an ADWR Gallons Per Capita Per Day (GPCPD) requirement?
( ) Yes ( ) No

If yes, provide the GPCPD amount:_____

EPCOR Water
Central Division - Tierra Del Rio (07-532)
Unaccounted For Water - 2015

	Description	Quantity of Water (Kgal) JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
A	**Gallons Pumped**													
	Water Treatment													
	Wells	7,212	7,824	9,774	10,715	11,186	14,591	14,981	16,836	16,374	12,958	10,371	10,257	**143,079**
B	**Gallons Purchased**													
C	**Total Production**	**7,212**	**7,824**	**9,774**	**10,715**	**11,186**	**14,591**	**14,981**	**16,836**	**16,374**	**12,958**	**10,371**	**10,257**	**143,079**
	Authorized Unbilled/Consumption													
	In-Plant Usage	22	20	19	17	18	17	10,022	8	2	14	3	2	**10,164**
	Mixing Chemicals - Field													
	Well Pumped Waste	92	97	135	127	165	188	179	215	212	170	132	141	**1,853**
	Flushing Mains	69	20	213	338	201	195	35						**1,071**
	Identified Fire Usage													
	Vandalism													
	Street Cleaning													
	Draining Storage Tanks													
	Online Analyzers & Chlorinators	21	21	21	21	21	21	21	21	21	21	21	21	**252**
	Field Meter Testing													
	Fire Hydrant Maintenance													
	Flushing Sewer Mains													
D	**Total Authorized Unbilled/Consumption**	**204**	**158**	**388**	**503**	**405**	**421**	**10,257**	**244**	**235**	**205**	**156**	**164**	**13,340**
E	**Gallons Solds**													
	Residential	3,997	3,681	3,857	4,495	5,367	5,838	7,685	7,222	8,400	6,505	5,882	5,571	**68,500**
	Commercial	2,656	1,931	2,758	4,052	3,557	3,990	6,406	6,309	7,956	6,275	4,524	4,163	**54,577**
	Industrial													
	Fire Service													
	OPA													
	Resale													
	Miscellaneous	21	31	19	18	17	18	19	15	5	4	1	3	**171**
	Total Sales	**6,674**	**5,643**	**6,634**	**8,565**	**8,941**	**9,846**	**14,110**	**13,546**	**16,361**	**12,784**	**10,407**	**9,737**	**123,248**
F	**Unaccounted For Water**													
	Gallons =C-D-E	334	2,023	2,752	1,647	1,840	4,324	(9,386)	3,046	(222)	(31)	(192)	356	6,491
	Percentage =(C-D-E)/C	4.63%	25.86%	28.16%	15.37%	16.45%	29.63%	-62.65%	18.09%	-1.36%	-0.24%	-1.85%	3.47%	4.54%

Negative numbers indicate quantity or percentage above production or 100%

COMPANY NAME	EPCOR WATER	
Name of System: Sun City West	ADEQ Public Water System Number:	04-07-150

WATER USE DATA SHEET BY MONTH FOR CALENDAR YEAR 2015

		A	B	C	D	E	F	G
MONTH	NUMBER OF CUSTOMERS	GALLONS PUMPED (Thousands)	GALLONS PURCHASED (Thousands)	TOTAL PRODUCTION (Thousands)	GALLONS AUTHORIZED UNBILLED (Thousands)	GALLONS SOLD (Thousands)	TOTAL NRW (Thousands)	% NON-ACCOUNT WATER (Thousands)
							=(C-D-E)/C	
JANUARY	15,364	128,420		128,420	469	125,123	2,828	2.20%
FEBRUARY	15,361	117,392		117,392	395	115,758	1,239	1.06%
MARCH	15,347	135,799		135,799	565	111,047	24,187	17.81%
APRIL	15,296	133,544		133,544	468	130,421	2,655	1.99%
MAY	15,264	145,385		145,385	4,148	137,589	3,648	2.51%
JUNE	15,257	156,354		156,354	551	132,739	23,064	14.75%
JULY	15,256	172,905		172,905	564	159,265	13,076	7.56%
AUGUST	15,261	173,004		173,004	530	167,333	5,141	2.97%
SEPTEMBER	15,261	152,510		152,510	638	173,954	(22,082)	-14.48%
OCTOBER	15,324	165,079		165,079	561	120,490	44,028	26.67%
NOVEMBER	15,359	137,435		137,435	414	156,856	(19,835)	-14.43%
DECEMBER	15,377	130,614		130,614	523	123,105	6,986	5.35%
	TOTALS ->			**1,748,441**	**9,826**	**1,653,680**	**84,935**	**4.86%**

What is the level of arsenic for each well on your system. _____mg/l
(If more than one well, please list each separately) - **See attached**

If system has fire hydrants, what is the fire flow requirement? _____GPM for _____ hrs

If system has chlorination treatment, does this treatment system chlorinate continuously?
( ) Yes ( ) No

Is the Water Utility located in an ADWR Active Management Area (AMA)?
(X) Yes ( ) No

Does the Company have an ADWR Gallons Per Capita Per Day (GPCPD) requirement?
(X) Yes ( ) No

If yes, provide the GPCPD amount: 202*

*Estimate

EPCOR WATER

Central Division - Sun City West Water District

Unaccounted For Water - 2015

	Description	Quantity of Water (Kgal) JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
A	**Gallons Pumped**													
	Water Treatment													
	Wells	128,420	117,392	135,799	133,544	145,385	156,354	172,905	173,004	152,510	165,079	137,435	130,614	**1,748,441**
B	**Gallons Purchased**													
C	**Total Production**	**128,420**	**117,392**	**135,799**	**133,544**	**145,385**	**156,354**	**172,905**	**173,004**	**152,510**	**165,079**	**137,435**	**130,614**	**1,748,441**
	Authorized Unbilled/Consumption													
	In-Plant Usage	385	322	433	378	4,050	446	384	382	463	382	367	476	8,468
	Mixing Chemicals - Field													
	Well Pumped Waste	31	28	32	34	49	59	55	48	48	25		2	411
	Flushing Mains			10				80	1	4	31			126
	Identified Fire Usage													
	Vandalism													
	Street Cleaning			45							50			95
	Draining Storage Tanks													
	Online Analyzers & Chlorinators	45	45	45	45	45	45	45	45	45	45	45	45	540
	Field Meter Testing													
	Fire Hydrant Maintenance				11							2		13
	Flushing Sewer Mains	8				4	1		54	78	28			173
D	**Total Authorized Unbilled/Consumption**	**469**	**395**	**565**	**468**	**4,148**	**551**	**564**	**530**	**638**	**561**	**414**	**523**	**9,826**
E	**Gallons Solds**													
	Residential	97,964	91,755	89,012	102,491	108,725	105,137	125,075	132,451	134,884	95,167	129,416	100,581	1,312,658
	Commercial	27,159	24,003	22,035	27,717	28,481	27,178	34,159	34,882	39,070	25,323	27,439	22,524	339,970
	Industrial													
	Fire Service													
	OPA													
	Resale													
	Miscellaneous				213	383	424	31				1		1,052
	Total Sales	**125,123**	**115,758**	**111,047**	**130,421**	**137,589**	**132,739**	**159,265**	**167,333**	**173,954**	**120,490**	**156,856**	**123,105**	**1,653,680**
F	**Unaccounted For Water**													
	Gallons	=C-D-E	2,828	1,239	24,187	2,655	3,648	23,064	13,076	5,141	(22,082)	44,028	(19,835)	6,986	84,935
	Percentage	=(C-D-E)/C	2.20%	1.06%	17.81%	1.99%	2.51%	14.75%	7.56%	2.97%	-14.48%	26.67%	-14.43%	5.35%	4.86%

Negative numbers indicate quantity or percentage above production or 100%

COMPANY NAME	EPCOR Water (Agua Fria, Sun City and Sun City West)

Arsenic Data by Well

PWS_NO	Well #	Old Name	Date	<>	Result	Unit	Comments
04-07-080	1.1	Well (55-803469)			N/A	ppb	Out of Service
04-07-531	Northeast Agua Fria 100.1	55-595221	12/10/15		2	ppb	
04-07-531	Northeast Agua Fria 100.2	55-595224	12/10/15		<1	ppb	
04-07-531	Northeast Agua Fria 100.2	55-221701	12/10/15		6.1	ppb	
04-07-695	Agua Fria Well 1.1	55-623682	2/17/2015		16.8	ppb	treated w/GIM at POE site
04-07-695	Agua Fria Well 1.2	55-575445	2/17/2015		21.6	ppb	treated w/GIM at POE site
04-07-695	Agua Fria Well 1.4	55-605761	2/17/2015		14.8	ppb	treated w/GIM at POE site
04-07-695	Agua Fria Well 1.5	55-587293	2/17/2015		10.5	ppb	treated w/GIM at POE site
04-07-695	Agua Fria Well 2.1	55-553671	2/17/2015		8.6	ppb	treated w/GIM at POE site
04-07-695	Agua Fria Well 2.2	55-554002					Out of Service
04-07-695	Agua Fria Well 2.3	55-573654	2/17/2015		6.2	ppb	treated w/GIM at POE site
04-07-695	Agua Fria Well 2.4	55-200558	2/17/2015		9.1	ppb	treated w/GIM at POE site
04-07-695	Agua Fria Well 3.1	55-565447	05/31/11		6	ppb	
04-07-695	Agua Fria Well 3.2	55-565446	05/31/11		6	ppb	
04-07-695	Agua Fria Well 3.3	55-591439	05/31/11		6	ppb	
04-07-695	Agua Fria Well 3.4	55-202096	05/31/11		7	ppb	
04-07-695	Agua Fria Well 4.1	55-604498	04/08/08		4	ppb	
04-07-695	Agua Fria Well 4.2	55-555779	02/12/14		5.7	ppb	
04-07-695	Agua Fria Well 4.3	55-590166	02/12/14		5.5	ppb	
04-07-695	Agua Fria Well 4.4	55-576971	02/12/14		2.3	ppb	
04-07-695	Agua Fria Well 4.5	55-593407	02/12/14		4.2	ppb	
04-07-695	Agua Fria Well 4.6	55-202092	02/12/14		9	ppb	
04-07-695	Agua Fria Well 4.7	55-204414	02/12/14		9.7	ppb	
04-07-695	Agua Fria Well 4.8	55-216258					Out of Service
04-07-695	Agua Fria Well 5.1	55-514145	2/16/2015		4.3	ppb	treated w/GIM at POE site
04-07-695	Agua Fria Well 5.2	55-624692	12/11/2013		7	ppb	treated w/GIM at POE site
04-07-695	Agua Fria Well 5.3	55-604500	11/3/2014		2.1	ppb	treated w/GIM at POE site
04-07-695	Agua Fria Well 8.1	55-592749	02/13/14		4	ppb	
04-07-695	Agua Fria Well 8.2	55-595241	02/13/14		6.6	ppb	
04-07-695	Agua Fria Well 8.3	55-598979	02/12/14		7.8	ppb	
04-07-695	Agua Fria Well 8.4						Out of Service
04-07-695	Agua Fria Well 9.1	55-585407	2/10/2015		18.3	ppb	treated with IX at POE site
04-07-695	Agua Fria Well 9.2	55-595267	8/14/2015		47.4	ppb	treated with IX at POE site
04-07-695	Agua Fria Well 9.3	55-592226	2/10/2015		9.4	ppb	treated with IX at POE site
04-07-695	Agua Fria Well 9.4	55-591437	8/4/2015		9	ppb	treated with IX at POE site
04-07-695	Agua Fria AFTL1	55-205432	12/20/11		46	ppb	treated w/GIM at POE site
04-07-695	Agua Fria AFTL3	55-213859	02/16/15		10.1	ppb	treated w/GIM at POE site
04-07-695	Agua Fria AFTL4	55-212434	12/10/15		6	ppb	treated w/GIM at POE site
04-07-695	Agua Fria Well 11.2	55-212491	02/16/15		7.7	ppb	
04-07-695	Agua Fria Well 14.3	55-215441	12/10/15		6	ppb	
04-07-099	Sun City 1.1	Well 18B (55-606529)	5/8/2009		6	ppb	
04-07-099	Sun City 1.2	Well 18C2 (55-608176	5/8/2009		8	ppb	
04-07-099	Sun City 2.1	Well 30A (55-606532)	5/8/2009		6	ppb	
04-07-099	Sun City 2.2	Well 19B (55-606530)	5/8/2009		6	ppb	
04-07-099	Sun City 2.3	Well 29A (55-606531)	5/12/2009		5	ppb	
04-07-099	Su City 2.4	Well 19C (55-207783)	5/8/2009		7	ppb	
04-07-099	Sun City 3.1	Well 17E (55-606527)	1/29/2009		4	ppb	
04-07-099	Sun City 4.1	Well 7C (55-606524)	1/29/2009		6	ppb	
04-07-099	Sun City 5.1	Well 8B (55-217004)	3/27/2014		6	ppb	
04-07-099	Sun City 5.2	Well 7B (55-606523)	9/2/2009		5	ppb	
04-07-099	sun City 5.3	Well 5D (55-606522)	9/2/2009		4	ppb	
04-07-099	Sun City 5.4	Well 5A (55-606521)	9/2/2009		6	ppb	
04-07-099	Sun City 5.5	Well 32C (55-606534)	9/2/2009		4	ppb	
04-07-099	Sun City 6.1	Well 4C (55-574914)	11/17/2015		10	ppb	Blend Plan for all 4 Wells
04-07-099	Sun City 6.2	Well 4D (55-606520)	11/17/2015		7	ppb	
04-07-099	Sun City 6.3	Well 9A (55-606526)					Out of Service
04-07-099	Sun City 6.4	Well 4B (55-606518)	11/17/2015		7	ppb	
04-07-099	Sun City 8.1	Well 32D (55-536983)	5/8/2009		5	ppb	
04-07-099	Sun City 8.2	Well 32B (55-606535)	5/8/2009		5	ppb	
04-07-099	Sun City 8.3	Well 31D (55-606536)	1/28/2009		4	ppb	
04-07-099	Sun City 8.3B	55-222007	5/21/2014		3	ppb	
04-07-099	Sun City 8.4	Well 33B (55-606533)					proposed well
04-07-150	Sun City West 2.1	Well 23B (55-547408)	2/27/2015		4	ppb	treated with coag/fil at POE
04-07-150	Sun City West 2.2	Well 23A (55-610215)	2/27/2015		4	ppb	treated with coag/fil at POE
04-07-150	Sun City West 2.3	Well 22A (55-610214)	2/27/2015		5	ppb	treated with coag/fil at POE
04-07-150	Sun City West 2.4	Well 21C (55-520840)	2/27/2015		7	ppb	treated with coag/fil at POE
04-07-150	Sun City West 2.5	Well 21B (55-612959)	2/27/2015		10	ppb	treated with coag/fil at POE
04-07-150	Sun City West 1.1	Well 28B (55-547409)	2/27/2015		22	ppb	treated with GIM at POE
04-07-150	Sun City West 1.2	Well 27A (55-610217)	2/27/2015		17	ppb	treated with GIM at POE
04-07-150	Sun City West 1.3	Well 28A (55-612953)					Out of Service
04-07-150	Sun City West 1.4	Well 34A (55-205590)	2/27/2015		29	ppb	treated with GIM at POE
04-07-150	Sun City West 1.5	Well 34B (55-610220)	2/27/2015		25	ppb	treated with GIM at POE

COMPANY NAME	EPCOR WATER	
Name of System: Anthem	ADEQ Public Water System Number:	04-07-504

WATER USE DATA SHEET BY MONTH FOR CALENDAR YEAR 2015

		A	B	C	D	E	F	G
MONTH	NUMBER OF CUSTOMERS	GALLONS PUMPED (Thousands)	GALLONS PURCHASED (Thousands)	TOTAL PRODUCTION (Thousands)	GALLONS AUTHORIZED UNBILLED (Thousands)	GALLONS SOLD (Thousands)	TOTAL NRW (Thousands)	% NON-ACCOUNT WATER (Thousands)
							=C-D-E	=(C-D-E)/C
JANUARY	8,889	74,010	-	74,010	28	69,013	4,969	6.71%
FEBRUARY	8,899	65,166	-	65,166	310	61,586	3,270	5.02%
MARCH	8,890	79,736	-	79,736	128	61,637	17,971	22.54%
APRIL	8,908	86,002	-	86,002	315	79,858	5,829	6.78%
MAY	8,918	89,702	-	89,702	160	80,439	9,103	10.15%
JUNE	8,906	98,931	-	98,931	150	80,489	18,292	18.49%
JULY	8,916	106,152	-	106,152	215	102,167	3,770	3.55%
AUGUST	8,927	112,653	-	112,653	225	100,244	12,184	10.82%
SEPTEMBER	8,927	102,652	-	102,652	97	110,149	(7,594)	-7.40%
OCTOBER	8,935	94,744	-	94,744	63	80,508	14,173	14.96%
NOVEMBER	8,944	80,724	-	80,724	787	79,199	738	0.91%
DECEMBER	8,944	79,453	-	79,453	166	70,174	9,113	11.47%
	TOTALS ->	**1,069,925**	**0**	**1,069,925**	**2,644**	**975,463**	**91,818**	**8.58%**

What is the level of arsenic for each well on your system. _____mg/l
(If more than one well, please list each separately)

55-577504 0.0156 mg/l
55-577505 0.0019 mg/l

If system has fire hydrants, what is the fire flow requirement? _____GPM for _____ hrs

If system has chlorination treatment, does this treatment system chlorinate continuously?
(X) Yes ( ) No

Is the Water Utility located in an ADWR Active Management Area (AMA)?
(X) Yes ( ) No

Does the Company have an ADWR Gallons Per Capita Per Day (GPCPD) requirement?
( ) Yes (X) No

If yes, provide the GPCPD amount: N/A

EPCOR Water
Eastern Division - Anthem Water District
Unaccounted For Water - 2015

	Description	Quantity of Water (Kgal) JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
A	**Gallons Pumped**													
	Water Treatment	74,010	65,166	79,736	86,002	89,702	98,931	106,152	112,653	102,652	94,744	80,724	79,453	1,069,925
	Wells													0
B	**Gallons Purchased**													0
C	**Total Production**	**74,010**	**65,166**	**79,736**	**86,002**	**89,702**	**98,931**	**106,152**	**112,653**	**102,652**	**94,744**	**80,724**	**79,453**	**1,069,925**
	Authorized Unbilled/Consumption													
	In-Plant Usage	0	0	0	0	0	0	0	0	0	0	0	0	0
	Mixing Chemicals - Field	0	0	0	0	0	0	0	0	0	0	0	0	0
	Well Pumped Waste	0	0	0	0	0	0	0	0	0	8	0	0	8
	Flushing Mains	0	280	88	175	50	65	165	125	25	45	110	80	1,208
	Identified Fire Usage	0	0	0	0	0	0	0	0	0	0	0	0	0
	Vandalism	0	0	0	0	0	0	0	0	0	0	0	0	0
	Street Cleaning	0	0	0	0	0	0	0	0	0	0	0	0	0
	Draining Storage Tanks	0	0	0	0	0	0	0	0	0	0	650	0	650
	Online Analyzers & Chlorinators	0	0	0	0	0	0	0	0	0	0	0	0	0
	Field Meter Testing	0	0	0	0	0	30	0	0	0	0	0	0	30
	Fire Hydrant Maintenance	8	15	15	40	30	15	10	40	40	10	15	65	303
	Flushing Sewer Mains	**20**	**15**	**25**	**100**	**80**	**40**	**40**	**60**	**32**	**0**	**12**	**21**	**445**
D	**Total Authorized Unbilled/Consumption**	**28**	**310**	**128**	**315**	**160**	**150**	**215**	**225**	**97**	**63**	**787**	**166**	**2,644**
	Gallons Sold													
	Residential	61,258	53,854	53,242	65,842	66,806	65,609	81,148	79,349	87,140	65,857	66,904	59,497	806,506
	Commercial	7,750	7,727	8,386	13,943	13,578	14,813	21,019	20,895	23,009	14,649	12,290	10,677	168,736
	Industrial													0
	Fire Service													0
	OPA													0
	Resale													0
	Miscellaneous	5	5	9	73	55	67	0	0	0	2	5		221
E	**Total Sales**	**69,013**	**61,586**	**61,637**	**79,858**	**80,439**	**80,489**	**102,167**	**100,244**	**110,149**	**80,508**	**79,199**	**70,174**	**975,463**
F	**Non-Account Water**													
	Gallons =C-D-E	4,969	3,270	17,971	5,829	9,103	18,292	3,770	12,184	(7,594)	14,173	738	9,113	91,818
	Percentage =(C-D-E)/C	6.71%	5.02%	22.54%	6.78%	10.15%	18.49%	3.55%	10.82%	(7.40%)	14.96%	0.91%	11.47%	8.58%

Negative numbers indicate quantity or percentage above production or 100%

COMPANY NAME	EPCOR WATER	
Name of System: Paradise Valley	ADEQ Public Water System Number:	04-07-056

WATER USE DATA SHEET BY MONTH FOR CALENDAR YEAR 2015

		A	B	C	D	E	F	G
MONTH	NUMBER OF CUSTOMERS	GALLONS PUMPED (Thousands)	GALLONS PURCHASED (Thousands)	TOTAL PRODUCTION (Thousands)	GALLONS AUTHORIZED UNBILLED (Thousands)	GALLONS SOLD (Thousands)	TOTAL NRW (Thousands)	% NON-ACCOUNT WATER (Thousands)
							=C-D-E	=(C-D-E)/C
JANUARY	4,885	179,179	-	179,179	478	164,648	14,053	7.84%
FEBRUARY	4,884	178,989	-	178,989	6,699	153,223	19,067	10.65%
MARCH	4,884	229,669	-	229,669	6,844	155,166	67,659	29.46%
APRIL	4,891	274,214	-	274,214	5,651	201,597	66,966	24.42%
MAY	4,887	280,032	-	280,032	578	254,768	24,686	8.82%
JUNE	4,887	326,810	-	326,810	388	253,125	73,297	22.43%
JULY	4,886	373,218	-	373,218	257	315,924	57,037	15.28%
AUGUST	4,888	369,287	-	369,287	156	373,527	(4,396)	-1.19%
SEPTEMBER	4,889	290,185	-	290,185	164	336,485	(46,464)	-16.01%
OCTOBER	4,903	288,314	-	288,314	107	264,131	24,076	8.35%
NOVEMBER	4,903	218,546	-	218,546	254	275,633	(57,341)	-26.24%
DECEMBER	4,903	196,267	-	196,267	332	194,268	1,667	0.85%
	TOTALS ->	3,204,710	-	3,204,710	21,908	2,942,495	240,307	7.50%

What is the level of arsenic for each well on your system. _____mg/l
(If more than one well, please list each separately)

Well PCX-1	no longer on system
Well 11	0.008
Well 12	0.008
Well 12b	0.009
Well 14	0.007
Well 15	0.006
Well 16	0.001
Well 17	0.008

If system has fire hydrants, what is the fire flow requirement? 1500 GPM for 1 hr

If system has chlorination treatment, does this treatment system chlorinate continuously?
(X) Yes ( ) No

Is the Water Utility located in an ADWR Active Management Area (AMA)?
(X) Yes ( ) No

Does the Company have An ADWR Gallons Per Capita Per Day (GPCPD) requirement?
(X) Yes ( ) No

If yes, provide the GPCPD amount: 1010*

*Estimate

EPCOR Water
Eastern Division - Paradise Valley Water District
Unaccounted For Water - 2015

	Description	Quantity of Water (Kgal) JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
A	**Gallons Pumped**													
	Water Treatment													0
	Wells	179,179	178,989	229,669	274,214	280,032	326,810	373,218	369,287	290,185	288,314	218,546	196,267	3,204,710
B	**Gallons Purchased**													0
C	**Total Production**	**179,179**	**178,989**	**229,669**	**274,214**	**280,032**	**326,810**	**373,218**	**369,287**	**290,185**	**288,314**	**218,546**	**196,267**	**3,204,710**
	Authorized Unbilled/Consumption													
	In-Plant Usage	43	46	43	43	43	43	43	43	43	43	43	43	519
	Mixing Chemicals - Field	0	0	0	0	0	0	0	0	0	0	0	0	0
	Well Pumped Waste	0	6,627	6,770	5,502	243	289	108	0	0	0	0	0	19,539
	Flushing Mains	327	15	15	75	246	25	20	95	100	31	200	258	1,407
	Identified Fire Usage	0	0	0	0	0	0	0	0	0	0	0	0	0
	Vandalism	0	0	0	0	0	0	0	0	0	0	0	0	0
	Street Cleaning	0	0	0	0	0	10	55	0	0	0	0	0	65
	Draining Storage Tanks	0	0	0	0	0	0	0	0	0	0	0	0	0
	Online Analyzers & Chlorinators	6	6	6	6	6	6	6	6	6	6	6	6	72
	Field Meter Testing	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fire Hydrant Maintenance	0	5	10	25	40	15	25	12	15	27	5	25	204
	Flushing Sewer Mains	102	0	0	0	0	0	0	0	0	0	0	0	102
D	**Total Authorized Unbilled/Consumption**	**478**	**6,699**	**6,844**	**5,651**	**578**	**388**	**257**	**156**	**164**	**107**	**254**	**332**	**21,908**
	Gallons Sold													
	Residential	124,812	112,845	109,571	139,198	177,336	177,558	219,162	269,785	242,114	197,124	207,239	145,337	2,122,081
	Commercial	39,060	39,545	44,753	61,361	75,776	73,155	93,674	101,076	91,273	64,863	66,684	47,663	798,883
	Industrial													0
	Fire Service	4	7	3	3	0	2	3	3	3	4	4	1	37
	OPA	79	139	510	308	843	1,290	2,040	1,857	1,994	1,360	816	419	11,655
	Resale	331	375	37	383	413	800	693	454	710	449	455	485	5,585
	Miscellaneous	362	312	292	344	400	320	352	352	391	331	435	363	4,254
E	**Total Sales**	**164,648**	**153,223**	**155,166**	**201,597**	**254,768**	**253,125**	**315,924**	**373,527**	**336,485**	**264,131**	**275,633**	**194,268**	**2,942,495**
F	**Non-Account Water**													
	Gallons =C-D-E	14,053	19,067	67,659	66,966	24,686	73,297	57,037	(4,396)	(46,464)	24,076	(57,341)	1,667	240,307
	Percentage =(C-D-E)/C	7.84%	10.65%	29.46%	24.42%	8.82%	22.43%	15.28%	(1.19%)	(16.01%)	8.35%	(26.24%)	0.85%	7.50%

Negative numbers indicate quantity or percentage above production or 100%

COMPANY NAME	EPCOR WATER	
Name of System: Tubac	ADEQ Public Water System Number:	04-12-001

WATER USE DATA SHEET BY MONTH FOR CALENDAR YEAR 2015

MONTH	NUMBER OF CUSTOMERS	A GALLONS PUMPED (Thousands)	B GALLONS PURCHASED (Thousands)	C TOTAL PRODUCTION (Thousands)	D GALLONS AUTHORIZED UNBILLED (Thousands)	E GALLONS SOLD (Thousands)	F TOTAL NRW (Thousands) =(C-D-E)/C	G % NON-ACCOUNT WATER (Thousands)
JANUARY	607	5,930		5,930	8	5,413	509	8.58%
FEBRUARY	605	5,064		5,064	4	4,753	307	6.06%
MARCH	604	6,336		6,336	8	4,693	1,635	25.80%
APRIL	604	6,561		6,561	9	6,088	464	7.07%
MAY	605	7,129		7,129	47	6,099	983	13.79%
JUNE	604	7,998		7,998	9	6,582	1,407	17.59%
JULY	604	6,607		6,607	8	7,643	(1,044)	-15.80%
AUGUST	603	7,257		7,257	23	5,969	1,265	17.43%
SEPTEMBER	603	5,383		5,383	74	6,105	(796)	-14.79%
OCTOBER	606	6,503		6,503	22	4,595	1,886	29.00%
NOVEMBER	606	5,233		5,233	1	5,630	(398)	-7.61%
DECEMBER	606	5,055		5,055	1	4,701	353	6.98%
	TOTALS ->		0	75,056	214	68,271	6,571	8.75%

What is the level of arsenic for each well on your system. _____mg/l
(If more than one well, please list each separately)

Well 3	0.003 mg/L	
Well 2	0.020 mg/L	Disconnected from system
Well 4	0.039 mg/l	
Well 5	0.018 mg/l	

If system has fire hydrants, what is the fire flow requirement? 1500 GPM for 1 hr

If system has chlorination treatment, does this treatment system chlorinate continuously?
(X) Yes ( ) No When wells are running

Is the Water Utility located in an ADWR Active Management Area (AMA)?
(X) Yes ( ) No

Does the Company have An ADWR Gallons Per Capita Per Day (GPCPD) requirement?
(X) Yes ( ) No

If yes, provide the GPCPD amount: 246*

*Estimate

EPCOR Water
Eastern Division - Tubac Water District
Unaccounted For Water - 2015

	Description	Quantity of Water (Kgal)												
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
A	**Gallons Pumped**													
	Water Treatment													
	Wells	5,930	5,065	6,336	6,561	7,129	7,998	6,607	7,257	5,383	6,503	5,233	5,055	75,057
B	**Gallons Purchased**													
C	**Total Production**	5,930	5,065	6,336	6,561	7,129	7,998	6,607	7,257	5,383	6,503	5,233	5,055	75,057
	Authorized Unbilled/Consumption													
	In-Plant Usage	5	4	4	3	3	3	3		6				31
	Mixing Chemicals - Field													
	Well Pumped Waste			2	2	2	2	4	2	2	2			18
	Flushing Mains	3			2	40	2	1	6	50	6	1		111
	Identified Fire Usage													
	Vandalism													
	Street Cleaning													
	Draining Storage Tanks								5	5				10
	Online Analyzers & Chlorinators									1				1
	Field Meter Testing													
	Fire Hydrant Maintenance			2	2	2	2		10	10	14		1	43
	Flushing Sewer Mains													
D	**Total Authorized Unbilled/Consumption**	8	4	8	9	47	9	8	23	74	22	1	1	214
E	**Gallons Sold**													
	Residential	3,744	3,160	3,290	4,440	4,528	4,968	5,851	4,422	4,518	3,278	4,065	3,316	49,580
	Commercial	1,669	1,593	1,403	1,648	1,571	1,614	1,792	1,547	1,587	1,317	1,565	1,385	18,691
	Industrial													
	Fire Service													
	OPA													
	Resale													
	Miscellaneous													
	Total Sales	5,413	4,753	4,693	6,088	6,099	6,582	7,643	5,969	6,105	4,595	5,630	4,701	68,271
F	**Non-Account Water**													
	Gallons =C-D-E	509	308	1,635	464	983	1,407	(1,044)	1,265	(796)	1,886	(398)	353	6,572
	Percentage =(C-D-E)/D	8.58%	6.08%	25.80%	7.07%	13.79%	17.59%	(15.80%)	17.43%	(14.79%)	29.00%	(7.61%)	6.98%	8.76%

Negative numbers indicate quantity or percentage above production or 100%

COMPANY NAME	EPCOR WATER	
Name of System: Havasu	ADEQ Public Water System Number:	04-08-015

WATER USE DATA SHEET BY MONTH FOR CALENDAR YEAR 2015

		A	B	C	D	E	F	G
MONTH	NUMBER OF CUSTOMERS	GALLONS PUMPED (Thousands)	GALLONS PURCHASED (Thousands)	TOTAL PRODUCTION (Thousands)	GALLONS AUTHORIZED UNBILLED (Thousands)	GALLONS SOLD (Thousands)	TOTAL NRW (Thousands)	% NON-ACCOUNT WATER (Thousands)
							=C-D-E	=(C-D-E)/C
JANUARY	1,727	16,432		16,432	580	14,838	1,014	6.17%
FEBRUARY	1,728	15,940		15,940	551	12,739	2,650	16.62%
MARCH	1,721	17,756		17,756	538	12,421	4,797	27.02%
APRIL	1,703	18,362		18,362	1,298	16,122	942	5.13%
MAY	1,697	18,507		18,507	243	14,160	4,104	22.18%
JUNE	1,704	19,532		19,532	520	14,782	4,230	21.66%
JULY	1,705	21,036		21,036	567	18,310	2,159	10.26%
AUGUST	1,699	23,759		23,759	908	17,168	5,683	23.92%
SEPTEMBER	1,700	22,006		22,006	538	20,016	1,452	6.60%
OCTOBER	1,723	19,970		19,970	668	15,046	4,256	21.31%
NOVEMBER	1,731	19,549		19,549	536	15,281	3,732	19.09%
DECEMBER	1,737	18,641		18,641	3,148	14,382	1,111	5.96%
	TOTALS ->	**231,490**	**0**	**231,490**	**10,095**	**185,265**	**36,130**	**15.61%**

What is the level of arsenic for each well on your system. _____mg/l
(If more than one well, please list each separately)
Well 9 0.0019

If system has fire hydrants, what is the fire flow requirement? _____GPM for _____ hrs

If system has chlorination treatment, does this treatment system chlorinate continuously?
(X) Yes ( ) No

Is the Water Utility located in an ADWR Active Management Area (AMA)?
( ) Yes (X) No

Does the Company have An ADWR Gallons Per Capita Per Day (GPCPD) requirement?
( ) Yes (X) No

If yes, provide the GPCPD amount:_____N/A_____

EPCOR Water
Eastern Division - Havasu Water District
Unaccounted For Water - 2015

	Description		Quantity of Water (Kgal) JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
A	**Gallons Pumped**														0
	Water Treatment														231,490
	Wells		16,432	15,940	17,756	18,362	18,507	19,532	21,036	23,759	22,006	19,970	19,549	18,641	0
B	**Gallons Purchased**														
C	**Total Production**		**16,432**	**15,940**	**17,756**	**18,362**	**18,507**	**19,532**	**21,036**	**23,759**	**22,006**	**19,970**	**19,549**	**18,641**	**231,490**
	Authorized Unbilled/Consumption														
	In-Plant Usage		0	0	0	0	0	0	0	0	0	0	0	0	0
	Mixing Chemicals - Field		0	0	0	0	0	0	0	0	0	0	0	0	0
	Well Pumped Waste		0	0	0	0	0	0	0	0	0	0	0	0	0
	Flushing Mains		580	551	538	1,298	243	520	567	908	538	668	536	3,148	10,095
	Identified Fire Usage		0	0	0	0	0	0	0	0	0	0	0	0	0
	Vandalism		0	0	0	0	0	0	0	0	0	0	0	0	0
	Street Cleaning		0	0	0	0	0	0	0	0	0	0	0	0	0
	Draining Storage Tanks		0	0	0	0	0	0	0	0	0	0	0	0	0
	Online Analyzers & Chlorinators		0	0	0	0	0	0	0	0	0	0	0	0	0
	Field Meter Testing		0	0	0	0	0	0	0	0	0	0	0	0	0
	Fire Hydrant Maintenance		0	0	0	0	0	0	0	0	0	0	0	0	0
	Flushing Sewer Mains		0	0	0	0	0	0	0	0	0	0	0	0	0
D	**Total Authorized Unbilled/Consumption**		**580**	**551**	**538**	**1,298**	**243**	**520**	**567**	**908**	**538**	**668**	**536**	**3,148**	**10,095**
	Gallons Sold														
	Residential		13,511	11,622	11,386	14,303	12,489	13,036	16,328	15,157	17,871	13,578	12,811	11,209	163,301
	Commercial		1,327	1,104	1,025	1,806	1,658	1,734	1,969	2,001	2,135	1,460	2,461	3,166	21,846
	Industrial														0
	Fire Service														0
	OPA														0
	Resale														0
	Miscellaneous			13	10	13	13	12	13	10	10	8	9	7	118
E	**Total Sales**		**14,838**	**12,739**	**12,421**	**16,122**	**14,160**	**14,782**	**18,310**	**17,168**	**20,016**	**15,046**	**15,281**	**14,382**	**185,265**
F	**Non-Account Water**														
	Gallons	=C-D-E	1,014	2,650	4,797	942	4,104	4,230	2,159	5,683	1,452	4,256	3,732	1,111	36,130
	Percentage	=(C-D-E)/C	6.17%	16.62%	27.02%	5.13%	22.18%	21.66%	10.26%	23.92%	6.60%	21.31%	19.09%	5.96%	15.61%

Negative numbers indicate quantity or percentage above production or 100%

COMPANY NAME	EPCOR WATER	
Name of System: Mohave	ADEQ Public Water System Number:	04-08-032

WATER USE DATA SHEET BY MONTH FOR CALENDAR YEAR 2015

		A	B	C	D	E	F	G
MONTH	NUMBER OF CUSTOMERS	GALLONS PUMPED (Thousands)	GALLONS PURCHASED (Thousands)	TOTAL PRODUCTION (Thousands)	GALLONS AUTHORIZED UNBILLED (Thousands)	GALLONS SOLD (Thousands)	TOTAL NRW (Thousands)	% NON-ACCOUNT WATER (Thousands)
							=C-D-E	=(C-D-E)/C
JANUARY	14,380	129,505		129,505	6,652	107,927	14,926	11.53%
FEBRUARY	14,406	117,987		117,987	3,520	97,915	16,552	14.03%
MARCH	14,415	134,692		134,692	7,413	93,059	34,220	25.41%
APRIL	14,446	135,726		135,726	2,933	111,087	21,706	15.99%
MAY	14,413	142,441		142,441	16,808	114,458	11,175	7.85%
JUNE	14,405	156,771		156,771	18,432	115,807	22,532	14.37%
JULY	14,390	161,701		161,701	11,114	143,634	6,953	4.30%
AUGUST	14,396	164,249		164,249	21,515	135,535	7,199	4.38%
SEPTEMBER	14,396	153,917		153,917	43,728	156,946	(46,757)	-30.38%
OCTOBER	14,408	142,307		142,307	20,587	109,142	12,578	8.84%
NOVEMBER	14,400	130,602		130,602	10,116	113,445	7,041	5.39%
DECEMBER	14,418	122,104		122,104	14,833	103,691	3,580	2.93%
	TOTALS ->	1,692,002	0	1,692,002	177,651	1,402,646	111,705	6.60%

What is the level of arsenic for each well on your system. _____mg/l
(If more than one well, please list each separately)

If system has fire hydrants, what is the fire flow requirement? 1,000_____GPM for _2.0_____ hrs

If system has chlorination treatment, does this treatment system chlorinate continuously?
(X) Yes ( ) No

Is the Water Utility located in an ADWR Active Management Area (AMA)?
( ) Yes (X) No

Does the Company have An ADWR Gallons Per Capita Per Day (GPCPD) requirement?
( ) Yes (X) No

If yes, provide the GPCPD amount:_____N/A_____

EPCOR Water
Eastern Division - Mohave Water District - Bullhead City (08-032)
Unaccounted For Water - 2015

	Description	Quantity of Water (Kgal) JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
A	**Gallons Pumped**													
	Water Treatment	0	0	0	0	0	0	0	0	0	0	0	0	0
	Wells	129,505	117,987	134,692	135,726	142,441	156,771	161,701	164,249	153,917	142,307	130,602	122,104	1,692,003
B	**Gallons Purchased (Lake Mohave Highland**													0
C	**Total Production**	**129,505**	**117,987**	**134,692**	**135,726**	**142,441**	**156,771**	**161,701**	**164,249**	**153,917**	**142,307**	**130,602**	**122,104**	**1,692,003**
	Authorized Unbilled/Consumption													
	In-Plant Usage	0	0	0	0	4,192	4,446	5,861	4,927	5,233	7,118	0	0	31,777
	Mixing Chemicals - Field	0	0	0	0	0	0	0	0	0	0	5,990	9,434	15,424
	Well Pumped Waste	0	0	0	0	0	0	0	0	0	0	0	0	0
	Flushing Mains	6,652	3,520	7,413	2,933	12,616	13,986	5,253	16,588	38,495	13,469	4,126	5,399	130,450
	Identified Fire Usage	0	0	0	0	0	0	0	0	0	0	0	0	0
	Vandalism	0	0	0	0	0	0	0	0	0	0	0	0	0
	Street Cleaning	0	0	0	0	0	0	0	0	0	0	0	0	0
	Draining Storage Tanks	0	0	0	0	0	0	0	0	0	0	0	0	0
	Online Analyzers & Chlorinators	0	0	0	0	0	0	0	0	0	0	0	0	0
	Field Meter Testing	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fire Hydrant Maintenance	0	0	0	0	0	0	0	0	0	0	0	0	0
	Flushing Sewer Mains	0	0	0	0	0	0	0	0	0	0	0	0	0
D	**Total Authorized Unbilled/Consumption**	**6,652**	**3,520**	**7,413**	**2,933**	**16,808**	**18,432**	**11,114**	**21,515**	**43,728**	**20,587**	**10,116**	**14,833**	**177,651**
	Gallons Sold													
	Residential	81,706	74,065	70,923	84,759	87,023	89,563	109,575	102,094	115,643	81,929	83,293	74,081	1,054,654
	Commercial	19,742	18,477	17,164	21,269	21,218	20,278	26,284	26,004	29,260	20,705	23,130	23,656	267,187
	Industrial	0	0	0	0	0	0	0	0	19	6	8	9	42
	Fire Service	0	0	0	0	0	0	0	0	0	0	0	0	0
	OPA	6,152	5,066	4,648	4,748	5,656	5,740	7,476	7,182	8,762	6,296	6,813	5,663	74,202
	Resale	0	0	0	0	0	0	0	0	0	0	0	0	0
	Miscellaneous	327	307	324	311	561	226	299	255	3,262	206	201	282	6,561
E	**Total Sales**	**107,927**	**97,915**	**93,059**	**111,087**	**114,458**	**115,807**	**143,634**	**135,535**	**156,946**	**109,142**	**113,445**	**103,691**	**1,402,646**
F	**Non-Account Water**													
	Gallons	=C-D-E	14,926	16,552	34,220	21,706	11,175	22,532	6,953	7,199	(46,757)	12,578	7,041	3,580	111,706
	Percentage	=(C-D-E)/C	11.53%	14.03%	25.41%	15.99%	7.85%	14.37%	4.30%	4.38%	(30.38%)	8.84%	5.39%	2.93%	6.60%

Negative numbers indicate quantity or percentage above production or 100%

Customers														
	Residential	13,520	13,549	13,559	13,585	13,549	13,542	13,526	13,532	13,535	13,535	13,532	13,556	162,520

COMPANY NAME	EPCOR WATER	
Name of System: Camp Mohave	ADEQ Public Water System Number:	04-08-037

WATER USE DATA SHEET BY MONTH FOR CALENDAR YEAR 2015

		A	B	C	D	E	F	G
MONTH	NUMBER OF CUSTOMERS	GALLONS PUMPED (Thousands)	GALLONS PURCHASED (Thousands)	TOTAL PRODUCTION (Thousands)	GALLONS AUTHORIZED UNBILLED (Thousands)	GALLONS SOLD (Thousands)	TOTAL NRW (Thousands)	% NON-ACCOUNT WATER (Thousands)
							=C-D-E	=(C-D-E)/C
JANUARY	74	1,206		1,206	59	1,226	(79)	-6.55%
FEBRUARY	75	1,069		1,069		1,091	(22)	-2.06%
MARCH	75	1,201		1,201		994	207	17.24%
APRIL	75	1,253		1,253	40	1,159	54	4.31%
MAY	75	1,298		1,298		1,255	43	3.31%
JUNE	76	1,484		1,484		1,329	155	10.44%
JULY	75	1,727		1,727		1,711	16	0.93%
AUGUST	74	1,778		1,778		1,687	91	5.12%
SEPTEMBER	75	1,465		1,465		1,743	(278)	-18.98%
OCTOBER	71	1,401		1,401		1,216	185	13.20%
NOVEMBER	72	1,373		1,373	270	1,240	(137)	-9.98%
DECEMBER	72	1,147		1,147		1,025	122	10.64%
	TOTALS ->	**16,402**	**0**	**16,402**	**369**	**15,676**	**357**	**2.18%**

What is the level of arsenic for each well on your system. _____mg/l
(If more than one well, please list each separately)

If system has fire hydrants, what is the fire flow requirement? 1,000_____GPM for _2.0_____ hrs

If system has chlorination treatment, does this treatment system chlorinate continuously?
(X) Yes ( ) No

Is the Water Utility located in an ADWR Active Management Area (AMA)?
( ) Yes (X) No

Does the Company have An ADWR Gallons Per Capita Per Day (GPCPD) requirement?
( ) Yes (X) No

If yes, provide the GPCPD amount:_____N/A_____

EPCOR Water
Eastern Division - Mohave Water District - Camp Mohave (08-037)
Unaccounted For Water - 2015

	Description	Quantity of Water (Kgal) JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
A	**Gallons Pumped**													
	Water Treatment													0
	Wells	1,206	1,069	1,201	1,253	1,298	1,484	1,727	1,778	1,465	1,401	1,373	1,147	16,402
B	**Gallons Purchased**													0
C	**Total Production**	**1,206**	**1,069**	**1,201**	**1,253**	**1,298**	**1,484**	**1,727**	**1,778**	**1,465**	**1,401**	**1,373**	**1,147**	**16,402**
	Authorized Unbilled/Consumption													
	In-Plant Usage	0	0	0	0	0	0	0	0	0	0	0	0	0
	Mixing Chemicals - Field	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Flushing Mains	59	0	0	40	0	0	0	0	0	0	270	0	369
	Identified Fire Usage	0	0	0	0	0	0	0	0	0	0	0	0	0
	Vandalism	0	0	0	0	0	0	0	0	0	0	0	0	0
	Street Cleaning	0	0	0	0	0	0	0	0	0	0	0	0	0
	Draining Storage Tanks	0	0	0	0	0	0	0	0	0	0	0	0	0
	Online Analyzers & Chlorinators	0	0	0	0	0	0	0	0	0	0	0	0	0
	Field Meter Testing	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fire Hydrant Maintenance	0	0	0	0	0	0	0	0	0	0	0	0	0
	Flushing Sewer Mains	0	0	0	0	0	0	0	0	0	0	0	0	0
D	**Total Authorized Unbilled/Consumption**	**59**	**0**	**0**	**40**	**0**	**0**	**0**	**0**	**0**	**0**	**270**	**0**	**369**
	Gallons Sold													
	Residential	202	212	163	175	238	267	315	326	331	240	221	214	2,904
	Commercial	1,024	879	831	984	1,017	1,062	1,396	1,361	1,412	976	1,019	811	12,772
	Industrial													0
	Fire Service													0
	OPA													0
	Resale													0
	Miscellaneous													0
E	**Total Sales**	**1,226**	**1,091**	**994**	**1,159**	**1,255**	**1,329**	**1,711**	**1,687**	**1,743**	**1,216**	**1,240**	**1,025**	**15,676**
F	**Non-Account Water**													
	Gallons =C-D-E	(79)	(22)	207	54	43	155	16	91	(278)	185	(137)	122	357
	Percentage =(C-D-E)/C	(6.55%)	(2.06%)	17.24%	4.31%	3.31%	10.44%	0.93%	5.12%	(18.98%)	13.20%	(9.98%)	10.64%	2.18%

Negative numbers indicate quantity or percentage above production or 100%

COMPANY NAME	EPCOR WATER	
Name of System: Lake Mohave	ADEQ Public Water System Number:	04-08-062

WATER USE DATA SHEET BY MONTH FOR CALENDAR YEAR 2015

		A	B	C	D	E	F	G
MONTH	NUMBER OF CUSTOMERS	GALLONS PUMPED (Thousands)	GALLONS PURCHASED (Thousands)	TOTAL PRODUCTION (Thousands)	GALLONS AUTHORIZED UNBILLED (Thousands)	GALLONS SOLD (Thousands)	TOTAL NRW (Thousands)	% NON-ACCOUNT WATER (Thousands)
							=C-D-E	=(C-D-E)/C
JANUARY	268	798	660	1,458		1,496	(38)	-2.61%
FEBRUARY	268	805	599	1,404	714	1,321	(631)	-44.94%
MARCH	269	942	730	1,672		1,414	258	15.43%
APRIL	267	1,019	768	1,787	310	1,576	(99)	-5.54%
MAY	268	1,086	758	1,844	325	1,676	(157)	-8.51%
JUNE	269	1,057	695	1,752	1	1,697	54	3.08%
JULY	269	1,264	944	2,208		1,720	488	22.10%
AUGUST	271	1,067	866	1,933	81	2,113	(261)	-13.50%
SEPTEMBER	273	1,056	869	1,925		1,572	353	18.34%
OCTOBER	272	1,167	932	2,099	237	1,782	80	3.81%
NOVEMBER	269	860	832	1,692	15	1,764	(87)	-5.14%
DECEMBER	270	804	742	1,546		1,452	94	6.08%
	TOTALS ->	11,925	9,395	21,320	1,683	19,583	54	0.25%

What is the level of arsenic for each well on your system. _____mg/l
(If more than one well, please list each separately)

If system has fire hydrants, what is the fire flow requirement? 1,000_____GPM for _2.0_____ hrs

If system has chlorination treatment, does this treatment system chlorinate continuously?
(X) Yes ( ) No

Is the Water Utility located in an ADWR Active Management Area (AMA)?
( ) Yes (X) No

Does the Company have An ADWR Gallons Per Capita Per Day (GPCPD) requirement?
( ) Yes (X) No

If yes, provide the GPCPD amount:_____N/A_____

Arizona American Water
Eastern Division - Mohave Water District - Lake Mohave Highlands (08-062)
Operational Activity - 2015

	Description	Quantity of Water (Kgal) JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
A	**Gallons Pumped**													
	Water Treatment													0
	Wells	798	805	942	1,019	1,086	1,057	1,264	1,067	1,056	1,167	860	804	11,925
B	**Gallons Purchased**	660	599	730	768	758	695	944	866	869	932	832	742	9,395
C	**Total Production**	**1,458**	**1,404**	**1,672**	**1,787**	**1,844**	**1,752**	**2,208**	**1,933**	**1,925**	**2,099**	**1,692**	**1,546**	**21,320**
	Authorized Unbilled/Consumption													
	In-Plant Usage	0	0	0	0	0	0	0	0	0	0	0	0	0
	Mixing Chemicals - Field	0	0	0	0	0	0	0	0	0	0	0	0	0
	Well Pumped Waste	0	0	0	0	0	0	0	0	0	0	0	0	0
	Flushing Mains	0	714	0	310	325	1	0	81	0	237	15	0	1,683
	Identified Fire Usage	0	0	0	0	0	0	0	0	0	0	0	0	0
	Vandalism	0	0	0	0	0	0	0	0	0	0	0	0	0
	Street Cleaning	0	0	0	0	0	0	0	0	0	0	0	0	0
	Draining Storage Tanks	0	0	0	0	0	0	0	0	0	0	0	0	0
	Online Analyzers & Chlorinators	0	0	0	0	0	0	0	0	0	0	0	0	0
	Field Meter Testing	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fire Hydrant Maintenance	0	0	0	0	0	0	0	0	0	0	0	0	0
	Flushing Sewer Mains	0	0	0	0	0	0	0	0	0	0	0	0	0
D	**Total Authorized Unbilled/Consumption**	**0**	**714**	**0**	**310**	**325**	**1**	**0**	**81**	**0**	**237**	**15**	**0**	**1,683**
	Gallons Sold													
	Residential	1,464	1,297	1,388	1,534	1,635	1,654	1,668	2,010	1,515	1,744	1,737	1,407	19,053
	Commercial	26	17	22	39	35	37	46	96	51	32	21	39	461
	Industrial													0
	Fire Service													0
	OPA													0
	Resale													0
	Miscellaneous	6	7	4	3	6	6	6	7	6	6	6	6	69
E	**Total Sales**	**1,496**	**1,321**	**1,414**	**1,576**	**1,676**	**1,697**	**1,720**	**2,113**	**1,572**	**1,782**	**1,764**	**1,452**	**19,583**
F	**Non-Account Water**													
	Gallons =C-D-E	(38)	(631)	258	(99)	(157)	54	488	(261)	353	80	(87)	94	54
	Percentage =(C-D-E)/C	(2.61%)	(44.94%)	15.43%	(5.54%)	(8.51%)	3.08%	22.10%	(13.50%)	18.34%	3.81%	(5.14%)	6.08%	0.25%

Negative numbers indicate quantity or percentage above production or 100%

COMPANY NAME	EPCOR WATER	
Name of System: Desert Foothills	ADEQ Public Water System Number:	04-08-137

WATER USE DATA SHEET BY MONTH FOR CALENDAR YEAR 2015

		A	B	C	D	E	F	G
MONTH	NUMBER OF CUSTOMERS	GALLONS PUMPED (Thousands)	GALLONS PURCHASED (Thousands)	TOTAL PRODUCTION (Thousands)	GALLONS AUTHORIZED UNBILLED (Thousands)	GALLONS SOLD (Thousands)	TOTAL NRW (Thousands)	% NON-ACCOUNT WATER (Thousands)
							=C-D-E	=(C-D-E)/C
JANUARY	1,089	15,253		15,253	1	14,109	1,143	7.49%
FEBRUARY	1,087	13,614		13,614	346	13,417	(149)	-1.09%
MARCH	1,090	16,462		16,462	150	12,619	3,693	22.43%
APRIL	1,089	18,938		18,938	0	16,413	2,525	13.33%
MAY	1,092	18,904		18,904	39	16,766	2,099	11.10%
JUNE	1,094	21,229		21,229	396	18,638	2,195	10.34%
JULY	1,090	27,534		27,534	43	25,643	1,848	6.71%
AUGUST	1,084	23,737		23,737	28	20,284	3,425	14.43%
SEPTEMBER	1,092	24,447		24,447	70	23,532	845	3.46%
OCTOBER	1,096	19,547		19,547	228	19,379	(60)	-0.31%
NOVEMBER	1,094	16,886		16,886	386	19,318	(2,818)	-16.69%
DECEMBER	1,088	14,662		14,662	395	14,233	34	0.23%
	TOTALS ->	**231,213**	**0**	**231,213**	**2,082**	**214,351**	**14,780**	**6.39%**

What is the level of arsenic for each well on your system. _____mg/l
(If more than one well, please list each separately)

If system has fire hydrants, what is the fire flow requirement? 1,000_____GPM for _2.0_____ hrs

If system has chlorination treatment, does this treatment system chlorinate continuously?
(X) Yes ( ) No

Is the Water Utility located in an ADWR Active Management Area (AMA)?
( ) Yes (X) No

Does the Company have An ADWR Gallons Per Capita Per Day (GPCPD) requirement?
( ) Yes (X) No

If yes, provide the GPCPD amount:_____N/A_____

EPCOR Water
Eastern Division - Mohave Water District - Desert Foothills Estates (08-137)
Unaccounted For Water - 2015

	Description		Quantity of Water (Kgal) JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
A	**Gallons Pumped**														
	Water Treatment														0
	Wells		15,253	13,614	16,462	18,938	18,904	21,229	27,534	23,737	24,447	19,547	16,886	14,662	231,213
B	**Gallons Purchased**														0
C	**Total Production**		**15,253**	**13,614**	**16,462**	**18,938**	**18,904**	**21,229**	**27,534**	**23,737**	**24,447**	**19,547**	**16,886**	**14,662**	**231,213**
	Authorized Unbilled/Consumption														
	In-Plant Usage		0	0	0	0	0	0	0	0	0	0	0	0	0
	Mixing Chemicals - Field		0	0	0	0	0	0	0	0	0	0	0	0	0
	Well Pumped Waste		0	0	0	0	0	0	0	0	0	0	0	0	0
	Flushing Mains		1	346	150	0	39	396	43	28	70	228	386	395	2,082
	Identified Fire Usage		0	0	0	0	0	0	0	0	0	0	0	0	0
	Vandalism		0	0	0	0	0	0	0	0	0	0	0	0	0
	Street Cleaning		0	0	0	0	0	0	0	0	0	0	0	0	0
	Draining Storage Tanks		0	0	0	0	0	0	0	0	0	0	0	0	0
	Online Analyzers & Chlorinators		0	0	0	0	0	0	0	0	0	0	0	0	0
	Field Meter Testing		0	0	0	0	0	0	0	0	0	0	0	0	0
	Fire Hydrant Maintenance		0	0	0	0	0	0	0	0	0	0	0	0	0
	Flushing Sewer Mains		0	0	0	0	0	0	0	0	0	0	0	0	0
D	**Total Authorized Unbilled/Consumption**		**1**	**346**	**150**	**0**	**39**	**396**	**43**	**28**	**70**	**228**	**386**	**395**	**2,082**
	Gallons Sold														
	Residential		11,663	11,329	10,584	13,191	13,333	15,171	16,610	16,300	16,516	13,142	12,972	11,734	162,545
	Commercial		2,446	2,088	2,035	3,222	3,433	3,467	3,860	3,984	4,016	3,237	3,336	2,499	37,623
	Industrial												10		10
	Fire Service														0
	OPA														0
	Resale														0
	Miscellaneous								5,173		3000	3,000	3,000		14,173
E	**Total Sales**		**14,109**	**13,417**	**12,619**	**16,413**	**16,766**	**18,638**	**25,643**	**20,284**	**23,532**	**19,379**	**19,318**	**14,233**	**214,351**
F	**Non-Account Water**														
	Gallons	=C-D-E	1,143	(149)	3,693	2,525	2,099	2,195	1,848	3,425	845	(60)	(2,818)	34	14,780
	Percentage	=(C-D-E)/C	7.49%	(1.09%)	22.43%	13.33%	11.10%	10.34%	6.71%	14.43%	3.46%	(0.31%)	(16.69%)	0.23%	6.39%

Negative numbers indicate quantity or percentage above production or 100%

COMPANY NAME	EPCOR WATER	
Name of System: Arizona Gateway	ADEQ Public Water System Number:	04-08-163

WATER USE DATA SHEET BY MONTH FOR CALENDAR YEAR 2015

		A	B	C	D	E	F	G
MONTH	NUMBER OF CUSTOMERS	GALLONS PUMPED (Thousands)	GALLONS PURCHASED (Thousands)	TOTAL PRODUCTION (Thousands)	GALLONS AUTHORIZED UNBILLED (Thousands)	GALLONS SOLD (Thousands)	TOTAL NRW (Thousands)	% NON-ACCOUNT WATER (Thousands)
							=C-D-E	=(C-D-E)/C
JANUARY	10	851		851	0	870	(19)	-2.23%
FEBRUARY	10	789		789	0	774	15	1.90%
MARCH	10	903		903	0	726	177	19.60%
APRIL	10	823		823	0	864	(41)	-4.98%
MAY	10	946		946	0	853	93	9.83%
JUNE	10	1,111		1,111	0	896	215	19.35%
JULY	10	1,105		1,105	0	1,134	(29)	-2.62%
AUGUST	10	1,135		1,135	0	1,074	61	5.37%
SEPTEMBER	10	1,066		1,066	0	1,078	(12)	-1.13%
OCTOBER	10	1,222		1,222	0	976	246	20.13%
NOVEMBER	10	1,029		1,029	0	1,066	(37)	-3.60%
DECEMBER	10	934		934	0	861	73	7.82%
	TOTALS ->	11,914	0	11,914	0	11,172	742	6.23%

What is the level of arsenic for each well on your system. _____mg/l
(If more than one well, please list each separately)

If system has fire hydrants, what is the fire flow requirement? 1,000_____GPM for _2.0_____ hrs

If system has chlorination treatment, does this treatment system chlorinate continuously?
(X) Yes ( ) No

Is the Water Utility located in an ADWR Active Management Area (AMA)?
( ) Yes (X) No

Does the Company have An ADWR Gallons Per Capita Per Day (GPCPD) requirement?
( ) Yes (X) No

If yes, provide the GPCPD amount:_____N/A_____

EPCOR Water
Eastern Division - Mohave Water District - AZ Gateway (08-163)
Unaccounted For Water - 2015

	Description		Quantity of Water (Kgal) JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
A	**Gallons Pumped**														
	Water Treatment														0
	Wells		851	789	903	823	946	1,111	1,105	1,135	1,066	1,222	1,029	934	11,913
B	**Gallons Purchased**														0
C	**Total Production**		**851**	**789**	**903**	**823**	**946**	**1,111**	**1,105**	**1,135**	**1,066**	**1,222**	**1,029**	**934**	**11,913**
	Authorized Unbilled/Consumption														
	In-Plant Usage		0	0	0	0	0	0	0	0	0	0	0	0	0
	Mixing Chemicals - Field		0	0	0	0	0	0	0	0	0	0	0	0	0
	Well Pumped Waste		0	0	0	0	0	0	0	0	0	0	0	0	0
	Flushing Mains		0	0	0	0	0	0	0	0	0	0	0	0	0
	Identified Fire Usage		0	0	0	0	0	0	0	0	0	0	0	0	0
	Vandalism		0	0	0	0	0	0	0	0	0	0	0	0	0
	Street Cleaning		0	0	0	0	0	0	0	0	0	0	0	0	0
	Draining Storage Tanks		0	0	0	0	0	0	0	0	0	0	0	0	0
	Online Analyzers & Chlorinators		0	0	0	0	0	0	0	0	0	0	0	0	0
	Field Meter Testing		0	0	0	0	0	0	0	0	0	0	0	0	0
	Fire Hydrant Maintenance		0	0	0	0	0	0	0	0	0	0	0	0	0
	Flushing Sewer Mains		0	0	0	0	0	0	0	0	0	0	0	0	0
D	**Total Authorized Unbilled/Consumption**		**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0**
E	**Gallons Sold**														0
	Residential														
	Commercial		870	767	726	864	853	896	1,134	1,074	1,078	976	1,066	861	11,165
	Industrial														0
	Fire Service														0
	OPA														0
	Resale														0
	Miscellaneous			7		0									7
	Total Sales		**870**	**774**	**726**	**864**	**853**	**896**	**1,134**	**1,074**	**1,078**	**976**	**1,066**	**861**	**11,172**
F	**Non-Account Water**														
	Gallons	=C-D-E	(19)	15	177	(41)	93	215	(29)	61	(12)	246	(37)	73	741
	Percentage	=(C-D-E)/C	(2.29%)	1.94%	19.57%	(4.98%)	9.83%	19.35%	(2.62%)	5.37%	(1.13%)	20.13%	(3.61%)	7.83%	6.22%

Negative numbers indicate quantity or percentage above production or 100%

COMPANY NAME	EPCOR WATER	
Name of System: Rio Vista	ADEQ Public Water System Number:	04-08-333

WATER USE DATA SHEET BY MONTH FOR CALENDAR YEAR 2015

MONTH	NUMBER OF CUSTOMERS	A GALLONS PUMPED (Thousands)	B GALLONS PURCHASED (Thousands)	C TOTAL PRODUCTION (Thousands)	D GALLONS AUTHORIZED UNBILLED (Thousands)	E GALLONS SOLD (Thousands)	F TOTAL NRW (Thousands)	G % NON-ACCOUNT WATER (Thousands)
							=C-D-E	=(C-D-E)/C
JANUARY	127		943	943		943	0	0.00%
FEBRUARY	128		902	902		902	0	0.00%
MARCH	128		798	798		798	0	0.00%
APRIL	83		1,047	1,047		1,047	0	0.00%
MAY	128		1,187	1,187		1,187	0	0.00%
JUNE	125		1,142	1,142		1,142	0	0.00%
JULY	125		1,395	1,395		1,395	0	0.00%
AUGUST	124		1,253	1,253		1,253	0	0.00%
SEPTEMBER	123		1,320	1,320		1,320	0	0.00%
OCTOBER	126		1,057	1,057		1,057	0	0.00%
NOVEMBER	126		1,050	1,050		1,050	0	0.00%
DECEMBER	128		865	865		865	0	0.00%
	TOTALS ->	**0**	**12,959**	**12,959**	**0**	**12,959**	**0**	**0.00%**

What is the level of arsenic for each well on your system. _____mg/l
(If more than one well, please list each separately)

If system has fire hydrants, what is the fire flow requirement?
One and two-family dwellings<= 3,600 sq. ft.: 1,500 gpm for 2 hours
One and two-family dwellings> 3,600 sq. ft.: In accordance with the 1997 UFC
All other development: 3,000 gpm for 3 hours (minimum)

If system has chlorination treatment, does this treatment system chlorinate continuously?
(X) Yes ( ) No

Is the Water Utility located in an ADWR Active Management Area (AMA)?
( ) Yes (X) No

Does the Company have An ADWR Gallons Per Capita Per Day (GPCPD) requirement?
( ) Yes (X) No

If yes, provide the GPCPD amount: N/A

EPCOR Water
Eastern Division - Mohave Water District - Rio Vista Ranches (08-333)
Unaccounted For Water - 2015

	Description	Quantity of Water (Kgal) JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
A	**Gallons Pumped**													0
	Water Treatment													0
	Wells	943	902	798	1,047	1,187	1,142	1,395	1,253	1,320	1,057	1,050	865	12,959
B	**Gallons Purchased**	943	902	798	1,047	1,187	1,142	1,395	1,253	1,320	1,057	1,050	865	12,959
C	**Total Production**	943	902	798	1,047	1,187	1,142	1,395	1,253	1,320	1,057	1,050	865	12,959
	Authorized Unbilled/Consumption													
	In-Plant Usage	0	0	0	0	0	0	0	0	0	0	0	0	0
	Mixing Chemicals - Field	0	0	0	0	0	0	0	0	0	0	0	0	0
	Well Pumped Waste	0	0	0	0	0	0	0	0	0	0	0	0	0
	Flushing Mains	0	0	0	0	0	0	0	0	0	0	0	0	0
	Identified Fire Usage	0	0	0	0	0	0	0	0	0	0	0	0	0
	Vandalism	0	0	0	0	0	0	0	0	0	0	0	0	0
	Street Cleaning	0	0	0	0	0	0	0	0	0	0	0	0	0
	Draining Storage Tanks	0	0	0	0	0	0	0	0	0	0	0	0	0
	Online Analyzers & Chlorinators	0	0	0	0	0	0	0	0	0	0	0	0	0
	Field Meter Testing	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fire Hydrant Maintenance	0	0	0	0	0	0	0	0	0	0	0	0	0
	Flushing Sewer Mains	0	0	0	0	0	0	0	0	0	0	0	0	0
D	**Total Authorized Unbilled/Consumption**	0	0	0	0	0	0	0	0	0	0	0	0	0
	Gallons Sold													
	Residential	943	902	798	1,047	1,187	1,142	1,395	1,253	1,320	1,057	1,050	865	12,959
	Commercial													0
	Industrial													0
	Fire Service													0
	OPA													0
	Resale													0
	Miscellaneous													0
E	**Total Sales**	943	902	798	1,047	1,187	1,142	1,395	1,253	1,320	1,057	1,050	865	12,959
F	**Non-Account Water**													
	Gallons =C-D-E	0	0	0	0	0	0	0	0	0	0	0	0	0
	Percentage =(C-D-E)/C	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

Negative numbers indicate quantity or percentage above production or 100%

COMPANY NAME	EPCOR WATER	
Name of System: North Mohave	ADEQ Public Water System Number:	04-08-068

WATER USE DATA SHEET BY MONTH FOR CALENDAR YEAR 2015

		A	B	C	D	E	F	G
MONTH	NUMBER OF CUSTOMERS	GALLONS PUMPED (Thousands)	GALLONS PURCHASED (Thousands)	TOTAL PRODUCTION (Thousands)	GALLONS AUTHORIZED UNBILLED (Thousands)	GALLONS SOLD (Thousands)	TOTAL NRW (Thousands)	% NON-ACCOUNT WATER (Thousands)
							=(C-D-E)/C	
JANUARY	2,002	22,510		22,510	1,800	18,757	1,953	8.68%
FEBRUARY	2,001	21,842		21,842	805	15,595	5,442	24.92%
MARCH	2,001	25,001		25,001	361	17,700	6,940	27.76%
APRIL	1,993	24,362		24,362	2,066	19,227	3,069	12.60%
MAY	1,993	24,617		24,617	3,036	20,217	1,364	5.54%
JUNE	1,993	28,229		28,229	679	20,288	7,262	25.73%
JULY	1,997	24,978	5,173	30,151	2,592	27,078	481	1.60%
AUGUST	1,996	29,871		29,871	1,472	25,532	2,867	9.60%
SEPTEMBER	1,996	22,082	3,000	25,082	1,522	23,876	(316)	-1.26%
OCTOBER	1,996	21,418	3,000	24,418	1,163	26,317	(3,062)	-12.54%
NOVEMBER	2,004	21,995	3,000	24,995	605	22,414	1,976	7.91%
DECEMBER	2,012	22,151		22,151	237	20,459	1,455	6.57%
	TOTALS ->		14,173	303,229	16,338	257,460	29,431	9.71%

What is the level of arsenic for each well on your system. _____mg/l
(If more than one well, please list each separately)

If system has fire hydrants, what is the fire flow requirement?

If system has chlorination treatment, does this treatment system chlorinate continuously?
(X) Yes ( ) No

Is the Water Utility located in an ADWR Active Management Area (AMA)?
( ) Yes (X) No

Does the Company have an ADWR Gallons Per Capita Per Day (GPCPD) requirement?
( ) Yes (X) No

If yes, provide the GPCPD amount:_____

EPCOR Water
Eastern Division - North Mohave (08-068)
Operational Activity - 2015

	Description	Quantity of Water (Kgal) JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
A	**Gallons Pumped**													
	Water Treatment	22,510	21,842	25,001	24,362	24,617	28,229	24,978	29,871	22,082	21,418	21,995	22,151	289,056
	Wells													0
								5,173		3,000	3,000	3,000		14,173
B	**Gallons Transferred**													
C	**Total Production**	**22,510**	**21,842**	**25,001**	**24,362**	**24,617**	**28,229**	**30,151**	**29,871**	**25,082**	**24,418**	**24,995**	**22,151**	**303,229**
	Authorized Unbilled/Consumption													
	In-Plant Usage	0	0	0	0	0	0	0	0	0	0	0	0	0
	Mixing Chemicals - Field	0	0	0	0	0	0	0	0	0	0	0	0	0
	Well Pumped Waste	0	0	0	0	0	0	0	0	0	0	0	0	0
	Flushing Mains	1,800	805	361	2,066	3,036	679	2,592	1,472	1,522	1,163	605	237	16,338
	Identified Fire Usage	0	0	0	0	0	0	0	0	0	0	0	0	0
	Vandalism	0	0	0	0	0	0	0	0	0	0	0	0	0
	Street Cleaning	0	0	0	0	0	0	0	0	0	0	0	0	0
	Draining Storage Tanks	0	0	0	0	0	0	0	0	0	0	0	0	0
	Online Analyzers & Chlorinators	0	0	0	0	0	0	0	0	0	0	0	0	0
	Field Meter Testing	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fire Hydrant Maintenance	0	0	0	0	0	0	0	0	0	0	0	0	0
	Flushing Sewer Mains	0	0	0	0	0	0	0	0	0	0	0	0	0
D	**Total Authorized Unbilled/Consumption**	**1,800**	**805**	**361**	**2,066**	**3,036**	**679**	**2,592**	**1,472**	**1,522**	**1,163**	**605**	**237**	**16,338**
	Gallons Sold													
	Residential	15,892	13,122	14,532	16,209	16,994	17,368	22,916	20,948	19,691	21,649	18,735	15,898	213,954
	Commercial	2,205	1,874	2,438	2,250	2,465	2,225	3,218	3,718	3,316	3,736	2,847	3,819	34,111
	Industrial													0
	Fire Service													0
	OPA													0
	Resale	660	599	730	768	758	695	944	866	869	932	832	742	9,395
	Miscellaneous													0
E	**Total Sales**	**18,757**	**15,595**	**17,700**	**19,227**	**20,217**	**20,288**	**27,078**	**25,532**	**23,876**	**26,317**	**22,414**	**20,459**	**257,460**
F	**Non-Account Water**													
	Gallons =C-D-E	1,953	5,442	6,940	3,069	1,364	7,262	481	2,867	(316)	(3,062)	1,976	1,455	29,431
	Percentage =(C-D-E)/C	8.68%	24.92%	27.76%	12.60%	5.54%	25.73%	1.60%	9.60%	(1.26%)	(12.54%)	7.91%	6.57%	9.71%

Negative numbers indicate quantity or percentage above production or 100%

COMPANY NAME: EPCOR Water	
Name of System: Agua Fria	ADEQ Public Water System Number: 04-07-695

UTILITY SHUTOFFS / DISCONNECTS

MONTH		Termination without Notice R14-2-410.B	Termination with Notice R14-2-410.C	OTHER
JANUARY			262	
FEBRUARY			171	
MARCH			291	
APRIL			195	
MAY			156	
JUNE			273	
JULY			321	
AUGUST			240	
SEPTEMBER			313	
OCTOBER			226	
NOVEMBER			280	
DECEMBER			236	
TOTALS →			2,964	

OTHER (description):

COMPANY NAME: EPCOR Water	
Name of System: NE Agua Fria	ADEQ Public Water System Number: 04-07-531

UTILITY SHUTOFFS / DISCONNECTS

MONTH		Termination without Notice R14-2-410.B	Termination with Notice R14-2-410.C	OTHER
JANUARY			39	
FEBRUARY			22	
MARCH			27	
APRIL			24	
MAY			18	
JUNE			24	
JULY			19	
AUGUST			19	
SEPTEMBER			25	
OCTOBER			20	
NOVEMBER			17	
DECEMBER			19	
	TOTALS →		273	

OTHER (description):

COMPANY NAME: EPCOR Water	
Name of System: Sun City Water	ADEQ Public Water System Number: 04-07-099

UTILITY SHUTOFFS / DISCONNECTS

MONTH		Termination without Notice R14-2-410.B	Termination with Notice R14-2-410.C	OTHER
JANUARY			103	
FEBRUARY			56	
MARCH			44	
APRIL			58	
MAY			39	
JUNE			53	
JULY			59	
AUGUST			65	
SEPTEMBER			72	
OCTOBER			48	
NOVEMBER			82	
DECEMBER			48	
	TOTALS →		727	

OTHER (description):

COMPANY NAME: EPCOR Water	
Name of System: SC Tierra Del Rio	ADEQ Public Water System Number: 04-07-532

UTILITY SHUTOFFS / DISCONNECTS

MONTH		Termination without Notice R14-2-410.B	Termination with Notice R14-2-410.C	OTHER
JANUARY			5	
FEBRUARY				
MARCH				
APRIL				
MAY				
JUNE				
JULY				
AUGUST			4	
SEPTEMBER				
OCTOBER				
NOVEMBER			2	
DECEMBER				
	TOTALS →		11	

OTHER (description):

COMPANY NAME: EPCOR Water	
Name of System: Sun City West	ADEQ Public Water System Number: 04-07-150

UTILITY SHUTOFFS / DISCONNECTS

MONTH		Termination without Notice R14-2-410.B	Termination with Notice R14-2-410.C	OTHER
JANUARY			34	
FEBRUARY			7	
MARCH			17	
APRIL			12	
MAY			13	
JUNE			10	
JULY			17	
AUGUST			6	
SEPTEMBER			19	
OCTOBER			4	
NOVEMBER			7	
DECEMBER			12	
	TOTALS →		158	

OTHER (description):

COMPANY NAME:	EPCOR Water
Name of System: Anthem	ADEQ Public Water System Number: 04-07-504

UTILITY SHUTOFFS / DISCONNECTS

MONTH		Termination without Notice R14-2-410.B	Termination with Notice R14-2-410.C	OTHER
JANUARY			73	
FEBRUARY			51	
MARCH			69	
APRIL			59	
MAY			55	
JUNE			67	
JULY			66	
AUGUST			44	
SEPTEMBER			81	
OCTOBER			52	
NOVEMBER			28	
DECEMBER			40	
TOTALS →			685	

OTHER (description):

COMPANY NAME:	EPCOR Water
Name of System: Paradise Valley	ADEQ Public Water System Number: 04-07-056

UTILITY SHUTOFFS / DISCONNECTS

MONTH		Termination without Notice R14-2-410.B	Termination with Notice R14-2-410.C	OTHER
JANUARY			21	
FEBRUARY			14	
MARCH			6	
APRIL			13	
MAY			10	
JUNE			10	
JULY			14	
AUGUST			8	
SEPTEMBER			8	
OCTOBER			5	
NOVEMBER			19	
DECEMBER			8	
TOTALS →			136	

OTHER (description):

COMPANY NAME:	EPCOR Water
Name of System: Tubac	ADEQ Public Water System Number: 04-12-001

UTILITY SHUTOFFS / DISCONNECTS

MONTH		Termination without Notice R14-2-410.B	Termination with Notice R14-2-410.C	OTHER
JANUARY			1	
FEBRUARY				
MARCH			1	
APRIL			1	
MAY			2	
JUNE			1	
JULY				
AUGUST			2	
SEPTEMBER				
OCTOBER				
NOVEMBER				
DECEMBER			1	
TOTALS →			9	

OTHER (description):

COMPANY NAME:	EPCOR Water
Name of System: Havasu	ADEQ Public Water System Number: 04-08-015

UTILITY SHUTOFFS / DISCONNECTS

MONTH		Termination without Notice R14-2-410.B	Termination with Notice R14-2-410.C	OTHER
JANUARY			7	
FEBRUARY			8	
MARCH			4	
APRIL			7	
MAY			3	
JUNE			6	
JULY			8	
AUGUST			8	
SEPTEMBER			6	
OCTOBER			10	
NOVEMBER			9	
DECEMBER			11	
TOTALS →			87	

OTHER (description):

COMPANY NAME:	EPCOR Water
Name of System: Mohave	ADEQ Public Water System Number: 04-08-032

UTILITY SHUTOFFS / DISCONNECTS

MONTH		Termination without Notice R14-2-410.B	Termination with Notice R14-2-410.C	OTHER
JANUARY			103	
FEBRUARY			36	
MARCH			63	
APRIL			39	
MAY			38	
JUNE			55	
JULY			67	
AUGUST			62	
SEPTEMBER			85	
OCTOBER			45	
NOVEMBER			114	
DECEMBER			57	
TOTALS →			764	

OTHER (description):

COMPANY NAME:	EPCOR Water
Name of System: Camp Mohave	ADEQ Public Water System Number: 04-08-037

UTILITY SHUTOFFS / DISCONNECTS

MONTH		Termination without Notice R14-2-410.B	Termination with Notice	OTHER
JANUARY			1	
FEBRUARY			0	
MARCH			0	
APRIL			0	
MAY			0	
JUNE			0	
JULY			1	
AUGUST			1	
SEPTEMBER			0	
OCTOBER			2	
NOVEMBER			1	
DECEMBER			1	
	TOTALS →		7	

OTHER (description):

COMPANY NAME:	EPCOR Water
Name of System: Lake Mohave	ADEQ Public Water System Number: 04-08-062

UTILITY SHUTOFFS / DISCONNECTS

MONTH		Termination without Notice R14-2-410.B	Termination with Notice R14-2-410.C	OTHER
JANUARY			1	
FEBRUARY			1	
MARCH			0	
APRIL			1	
MAY			0	
JUNE			0	
JULY			1	
AUGUST			1	
SEPTEMBER			0	
OCTOBER			3	
NOVEMBER			2	
DECEMBER			2	
	TOTALS →		12	

OTHER (description):

COMPANY NAME:	EPCOR Water
Name of System: Desert Foothills	ADEQ Public Water System Number: 04-08-137

UTILITY SHUTOFFS / DISCONNECTS

MONTH		Termination without Notice R14-2-410.B	Termination with Notice R14-2-410.C	OTHER
JANUARY			2	
FEBRUARY			0	
MARCH			2	
APRIL			1	
MAY			0	
JUNE			0	
JULY			2	
AUGUST			1	
SEPTEMBER			2	
OCTOBER			1	
NOVEMBER			2	
DECEMBER			5	
TOTALS →			18	

OTHER (description):

COMPANY NAME:	EPCOR Water
Name of System: Arizona Gateway	ADEQ Public Water System Number: 04-08-163

UTILITY SHUTOFFS / DISCONNECTS

MONTH		Termination without Notice R14-2-410.B	Termination with Notice R14-2-410.C	OTHER
JANUARY				
FEBRUARY				
MARCH				
APRIL				
MAY				
JUNE				
JULY				
AUGUST				
SEPTEMBER				
OCTOBER				
NOVEMBER				
DECEMBER				
TOTALS →			0	

OTHER (description):

COMPANY NAME:	EPCOR Water
Name of System: Rio Vista	ADEQ Public Water System Number: 04-08-333

UTILITY SHUTOFFS / DISCONNECTS

MONTH		Termination without Notice R14-2-410.B	Termination with Notice R14-2-410.C	OTHER
JANUARY			1	
FEBRUARY			0	
MARCH			0	
APRIL			0	
MAY			0	
JUNE			1	
JULY			0	
AUGUST			2	
SEPTEMBER			1	
OCTOBER			1	
NOVEMBER			1	
DECEMBER			1	
TOTALS →			8	

OTHER (description):

COMPANY NAME:	EPCOR Water
Name of System: North Mohave	ADEQ Public Water System Number: 04-08-068

UTILITY SHUTOFFS / DISCONNECTS

MONTH		Termination without Notice R14-2-410.B	Termination with Notice R14-2-410.C	OTHER
JANUARY			3	
FEBRUARY			5	
MARCH			4	
APRIL			2	
MAY			1	
JUNE			2	
JULY			2	
AUGUST			6	
SEPTEMBER			3	
OCTOBER			8	
NOVEMBER			4	
DECEMBER			9	
TOTALS →			49	

OTHER (description):

COMPANY NAME	EPCOR WATER	
Name of System: Agua Fria	Wastewater Inventory Number (if applicable):	105229

WASTEWATER COMPANY PLANT DESCRIPTION

TREATMENT FACILITIES

TYPE OF TREATMENT (Extended Aerations, Step Aerations, Oxidation Ditch, Aerobic Lagoon, Anaerobic Lagoon, Trickling Filter, Septic Tank, Wetland, Etc.)	Russell Ranch Water Reclamation Facility: Activated Sludge, BNR
DESIGN CAPACITY OF PLANT (Gallons Per Day)	Russell Ranch 60,000

LIFT STATION FACILITIES

Location	Quantity of Pumps	Horsepower Per Pump	Capacity Per Pump (GPM)	Wet Well Capacity (gals)

FORCE MAINS

Size	Material	Length (in feet)

MANHOLES / CLEANOUTS

Type	Quantity	Quantity
Standard	105	10

COMPANY NAME	EPCOR WATER	
Name of System: Agua Fria	Wastewater Inventory Number (if applicable):	105229

WASTEWATER COMPANY PLANT DESCRIPTION (CONTINUED)

COLLECTION MAINS

Size (in inches)	Material	Length (in feet)
4	n/a	
6	PVC	
8	PVC	29,894
10	PVC	949
12	PVC	81
15	PVC	
18	PVC	
21	PVC	
24	PVC	
30	PVC	
Undetermined	PVC	
	TOTAL =	**30,924**

SERVICES

Size (in inches)	Material	Quantity
4	n/a	n/a
6	n/a	n/a
8	n/a	n/a
12	n/a	n/a
15	n/a	n/a

For the following three items, list the utility owned assets in each category.

SOLIDS PROCESSING AND HANDLING FACILITIES	Russell Ranch: Aerobic Digester, Vault and Haul
DISINFECTION EQUIPMENT (Chlorinator, Ultra-Violet, Etc.)	Russell Ranch: 1 NaOCl pump, 1 dechlor ($NaHSO_3$pump)
FILTRATION EQUIPMENT (Rapid Sand, Slow Sand, Activated Carbon, Etc.)	
STRUCTURES (Buildings, Fences Etc)	Russell Ranch: Storage shed, block fence around entire perimeter of property
OTHER Laboratory Equipment, Tools, Vehicles, Standby Power Generators, Etc.	Various tools and equipment associated with wastewater collection and treatment. Russell Ranch: 275 kW standby generator

COMPANY NAME	EPCOR WATER	
Name of System: Agua Fria	Wastewater Inventory Number (if applicable):	105202

WASTEWATER COMPANY PLANT DESCRIPTION

TREATMENT FACILITIES

TYPE OF TREATMENT (Extended Aerations, Step Aerations, Oxidation Ditch, Aerobic Lagoon, Anaerobic Lagoon, Trickling Filter, Septic Tank, Wetland, Etc.)	Verrado Water Reclamation Facility: Activated Sludge, BNR
DESIGN CAPACITY OF PLANT (Gallons Per Day) (Gallons Per Day)	Verrado 830,000

LIFT STATION FACILITIES

Location	Quantity of Pumps	Horsepower Per Pump	Capacity Per Pump (GPM)	Wet Well Capacity (gals)
Verrado High School Lift Station	2	15	217	5,828
Banner Lift Station	2	40	433	19,377

FORCE MAINS

Size	Material	Length (in feet)
4 inch	Ductile Iron	2,134
6 inch	Ductile Iron	2,235
8 inch	Ductile Iron	7,551

	MANHOLES	CLEANOUTS
Type	Quantity	Quantity
Standard	1,760	106
Drop		

COMPANY NAME	EPCOR WATER	
Name of System: Agua Fria	Wastewater Inventory Number (if applicable):	105202

WASTEWATER COMPANY PLANT DESCRIPTION (CONTINUED)

COLLECTION MAINS

Size (in inches)	Material	Length (in feet)
4	n/a	
6	PVC	255
8	PVC	278,856
10	PVC	8,213
12	PVC	9,670
15	PVC	5,548
16	PVC	350
18	PVC	7,811
21	PVC	9,866
24	PVC	
30	PVC	
Undetermined	PVC	6
	TOTAL =	**320,575**

SERVICES

Size (in inches)	Material	Quantity
4	n/a	n/a
6	n/a	n/a
8	n/a	n/a
12	n/a	n/a
15	n/a	n/a

For the following three items, list the utility owned assets in each category.

SOLIDS PROCESSING AND HANDLING FACILITIES	Verrado: Aerobic Digester, Belt Filter Press
DISINFECTION EQUIPMENT (Chlorinator, Ultra-Violet, Etc.)	Verrado: 1-700 gal NaOCl tank, 2 NaOCl pumps
FILTRATION EQUIPMENT (Rapid Sand, Slow Sand, Activated Carbon, Etc.)	Verrado: 4 Disc Filter Units (10 micron)
STRUCTURES (Buildings, Fences Etc)	Verrado: Administrative Modular Trailer, Dewatering building, Motor Control building, Shop building, block fence around entire permieter of property
OTHER Laboratory Equipment, Tools, Vehicles, Standby Power Generators, Etc.	Various tools and equipment associated with wastewater collection and treatment. Verrado: 750 kW ad 2,000 kW on site standby Generators, 4 work trucks

COMPANY NAME	EPCOR WATER	
Name of System: Sun City	Wastewater Inventory Number (if applicable):	100339

WASTEWATER COMPANY PLANT DESCRIPTION

TREATMENT FACILITY

TYPE OF TREATMENT (Extended Aerations, Step Aerations, Oxidation Ditch, Aerobic Lagoon, Anaerobic Lagoon, Trickling Filter, Septic Tank, Wetland, Etc.)	Treated by the City of Tolleson under a long-term contract
DESIGN CAPACITY OF PLANT (gallons Per Day	N/A

LIFT STATION FACILITIES

Location	Quantity of Pumps	Horsepower Per Pump	Capacity Per Pump (GPM)	Wet Well Capacity (gals)
Baptist Village L.S. 11577 W Peoria Ave	2	7.5	100	1,700
Youngtown L.S. 11602 W Peoria Ave	2	70	1200	7,520
111th Ave L.S. 111th Avenue at Olive	2	3	160	1,000
Coyote Lakes L.S. 17280 N 115th Ave	2	40	500	7,000
Citrus Point L.S. 16401 N 115th Ave	2	20	500	1,200
Paradise Resort L.S. 10950 W Union Hills	2	7.5	700	7,900
Agua Fria Ranch L.S. 9901 N Agua Fria Pkwy	2	30	860	6,033

FORCE MAINS

Size	Material	Length (in feet)
4 inch	Various	2,945
6 inch	Various	2,047
8 inch	Various	16,888
10 inch	Various	6,417
12 inch	Various	18,525

MANHOLES / CLEANOUTS

Type	Quantity	Quantity
Standard	4,595	739
Drop		