

RESPONSES TO STAFF'S FIRST SET OF DATA REQUESTS
TO THE RESIDENTIAL UTILITY CONSUMER OFFICE ("RUCO")
REGARDING QWEST CORPORATION'S PRICE REGULATION PLAN
DOCKET NOS. T-01051B-03-0454/T-00000D-00-0672

WDA 1.8 For the buried cable metallic account (Account Number 2423), does RUCO support using a 12 year Projection Life as proposed by Qwest, or the 23 year Projection Life as proposed by the Staff, or other (specify)?

Answer: RUCO has not performed a depreciation study and thus, has no position on this issue.

RESPONSES TO STAFF'S FIRST SET OF DATA REQUESTS
TO THE RESIDENTIAL UTILITY CONSUMER OFFICE ("RUCO")
REGARDING QWEST CORPORATION'S PRICE REGULATION PLAN
DOCKET NOS. T-01051B-03-0454/T-00000D-00-0672

WDA 1.9 After reading the Staff testimony, what Projection Lives does RUCO support?

Answer: RUCO has not performed a depreciation study and thus, has no opinion on this issue.

RESPONSES TO STAFF'S FIRST SET OF DATA REQUESTS
TO THE RESIDENTIAL UTILITY CONSUMER OFFICE ("RUCO")
REGARDING QWEST CORPORATION'S PRICE REGULATION PLAN
DOCKET NOS. T-01051B-03-0454/T-00000D-00-0672

WDA 1.10 After reading the Staff testimony, what future "Net Salvage" values does RUCO support?

Answer: RUCO has not performed a depreciation study and thus, has no opinion on this issue.