

TARIFF SCHEDULE

UTILITY: Antelope Water Company

DOCKETS: W-02005A-13-0201

OFFICENCED

Page 1 of 2
Page 1 of 2
Page 1 of 2
Page 1 of 2

Decision Date: Feb. 6, 2014

CAP COEffective: Mar. 1, 2014

RATES AND CHARGES

MONTHLY USAGE CHARGES

5/8 X 3/4 inch Meter	\$ 13.50
3/4 inch Meter	\$ 13.50
1 inch Meter	\$ 33.75
1 1/2 inch Meter	\$ 67.50
2 inch Meter	\$ 108.00
3 inch Meter	\$ 216.00
4 inch Meter	\$ 337.00
6 inch Meter	\$ 675.00

COMMODITY RATE CHARGES (PER 1,000 GALLONS)

ALL METER SIZES (Per 1,000 gallons)

0 TO 5,000 gallons	\$ 1.00
5,001 to 15,000 galloons	\$ 1.40
Over 15,000 gallons	\$ 2.10

SERVICE LINE AND METER INSTALLATION CHARGES: (Refundable Pursuant to A.A.C. R-14-2-405)

<u> </u>	Service Line	Meter	Tot	al Charge
	Charge	Charge		0
5/8 X 3/4 inch Meter	\$ 415.00	\$ 105.00	\$	520.00
3/4 inch Meter	\$ 415.00	\$ 205.00	\$	620.00
1 inch Meter	\$ 465.00	\$ 265.00	\$	730.00
1 1/2 inch Meter	At Cost	At Cost	At (Cost
2 inch Meter	At Cost	At Cost		Cost
3 inch Meter	At Cost	At Cost		Cost



4 inch Meter	At Cost	At Cost	At (Cost
6 inch Meter	At Cost	At Cost	At Cost	
	SERVICE (CHARGES		
Establishment			\$	20.00
Service Charge (After	Hours)		\$	40.00
Reconnection (Delinqu	ient)		\$	40.00
Meter Test (If correct)	,		\$	30.00
Meter Re-Read (If com	rect)		\$	10.00
NSF Check	•		\$	15.00
Deposit			7	*
Deposit Interest				*
Re-Establishment (Wit	hin 12 months)			**
Deferred Payment (Per	Month)			1.50%
Late Fee (Per Month)				1.50%

MONTHLY SERVICE CHARGE FOR FIRE SPRINKLERS:

4" or Smaller	***
6"	***
8"	***
10"	***
Larger than 10"	***

* Per Commission Rule A.A.C. R-14-2-403(B)

** Months off system times the monthly minimum per Commission Rule A.A.C. R-14-2-403(D)

*** 2.00% of Monthly Minimum for a Comparable Meter Connection, but no less than \$10.00 per month. The Service Charge for Fire Sprinklers is only applicable for service lines separate and distinct from the primary water service line.

In addition to collection of its regular rates and charges, Antelope Water Company shall collect from its customers a proportionate share of any privilege, sales or use tax per A.A.C. R14-2-409(D).

APPROVED FOR FILING
DECISION #: 14364 2



Docket # W-02005A-13-0201

Decision No.: 74366 Phone: 928-920-8645 Effective Date: Feb. 6, 2014

PECENED

Water Waste Investigations and Information Tariff - BMP 3.8


PURPOSE

LURP COMMISSION A program for the Company to assist customers with water waste complaints and provide customers with information designed to improve water use efficiency (Modified Non-Per Capita Conservation Program BMP Category 3: Outreach Services 3.8: Water Waste Investigations and Information).

REQUIREMENTS

The requirements of this tariff are governed by Rules of the Arizona Corporation Commission specifically R14-2-403 and R14-2-410 and were adapted from the Arizona Department of Water Resources' Required Public Education Program and Best Management Practices in the Modified Non-Per Capita Conservation Program.

- 1. The Company shall handle water waste complaints as calls are received.
- 2. Calls shall be taken by a customer service representative who has been trained to determine the type of water waste and to determine if it may be attributed to a leak or broken water line.
- 3. The Company shall follow up on every water waste complaint.
- 4. Upon request by the customer or when the Company determines it is warranted, a trained Field Technician shall be sent to investigate further and notify the responsible party of the waste and offer assistance and information to prevent waste in the future.
- 5. A letter of enforcement will be issued to customers with water running beyond the curb and/or off the customers property due to such things as, but not limited to, backwashing of pools, broken sprinkler heads, and over watering of lawns beyond the saturation point.
- 6. The same procedures outlined above in item #4 will be followed in the event of a second violation. Termination of service may result in the event of the third violation within a 12 month period. In the event of a third violation the customer's service may be terminated per Arizona Administrative Code R14-2-410C, R14-2-410D and R14-2-410E (applicable service reconnection fees shall apply).
- 7. The Company shall record each account and each instance noted for water waste, the action taken and any follow-up activities.
- 8. Subject to the provisions of this tariff, compliance with the water waste restriction will be a condition of service.
- 9. The Company shall provide to its customers a complete copy of this tariff and all attachments upon request and to each new customer. The customer shall abide by the water waste restriction.
- 10. If a customer believes he/she has been disconnected in error, the customer may contact the Commission's Consumer Services Section at 1-800-222-7000 to initiate an investigation.





Docket # W-02005A-13-0201

Decision No.: 74366 Phone: 928-920-8645 Effective Date: Feb. 6, 2014

CHICKIVED

Leak Detection Program Tariff - BMP 4.1

2014 MAR 31 A 11: UE


PURPOSE

A program for the Company to systematically evaluate its water distribution system to identify and repair leaks (Modified Non-Per Capita Conservation Program Best Management Practice Category 4: Physical System Evaluation and Improvement 4.1 Leak Detection Program).

REQUIREMENTS

The requirements of this tariff are governed by Rules of the Arizona Corporation Commission and were adapted from the Arizona Department of Water Resources' Required Public Education Program and Best Management Practices in the Modified Non-Per Capita Conservation Program.

- The Company shall implement a comprehensive leak detection and repair program to attain and maintain a less than 10 percent unaccounted for water loss in its system(s). The program must include auditing procedures, in-field leak detection and repair efforts. The Company shall take whatever steps are necessary to ensure that its water system is operating at optimal efficiency.
- 2. On a systematic basis, at least every two years (annually for smaller systems), the Company shall inspect its water distribution system (to include hydrants, valves, tanks, pumps, etc. in the distribution system) to identify and repair leaks. Detection shall be followed by repair or in some cases replacement. Repair vs. replacement will depend upon site-specific leakage rates and costs.
- 3. Leak Detection efforts should focus on the portion of the distribution system with the greatest expected problems, including:
 - a. areas with a history of excessive leak and break rates;
 - b. areas where leaks and breaks can result in the heaviest property damage;
 - c. areas where system pressure is high;
 - d. areas exposed to stray current and traffic vibration;
 - e. areas near stream crossings; and,
 - f. areas where loads on pipe may exceed design loads.
- 4. The Company shall keep accurate and detailed records concerning its leak detection and repair/rehabilitation program and the associated costs. Records of repairs shall include: possible causes of the leak; estimated amount of water lost; and date of repair. These records shall be made available to the Commission upon request.
- 5. The Company shall maintain a complete set of updated distribution system maps.
- The Company shall ensure that properly functioning (accurate) and appropriately sized
 meters are installed on all service and source connections. All meters 1-inch and smaller
 shall be inspected at least once every ten years or upon registering 1,000,000 gallons of





Docket # W-02005A-13-0201

Decision No.: 74366 Phone: 928-920-8645 Effective Date: Feb. 6, 2014

usage, whichever comes first. Meters larger than 1-inch shall be inspected at least once every five years or upon registering 1,000,000 gallons of usage, whichever comes first.

- 7. The inspection will be accomplished by having the meter pulled and having a Company Technician physically inspect each meter and its fittings for leaks, registers which may have become loose or are not properly attached to the meter and could be underregistering or other broken parts which need repair. In addition, meters shall be randomly selected for flow testing to identify potentially under-registering meters.
- 8. The Company shall conduct a water audit annually which includes the following steps to determine how efficient each water system is operating and where the losses might be.
 - a. Use coordinated monthly source and service meter readings to calculate how much water enters and leaves the system during the 12 month review period.
 - b. Track and estimate any unmetered authorized uses.
 - c. Calculate the total amount of leakage using the following formula:

Unaccounted for water (%) = [(Production and/or purchased water minus metered use & estimated authorized un-metered use) / (Production and/or purchased water)] \times 100

- d. Authorized un-metered uses may include firefighting, main flushing, process water for water treatment plants, etc. Water losses include all water that is not identified as authorized metered water use or authorized un-metered use.
- e. Determine possible reasons for leakage, including physical leaks and unauthorized uses.
- f. Analyze results to determine the improvements needed, such as, better accounting practices, leak survey or replacing old distribution pipes.
- 9. The Company shall keep accurate and detailed records concerning its annual water audit results. These records shall be made available to the Commission upon request.

APPROVED FOR FILING DECISION #: 14366



Docket # W-02005A-13-0201

Decision No.: 74366 Phone: 928-920-8645 Effective Date: Feb. 6, 2014

WATER SYSTEM TAMPERING TARIFF - BMP 5.2

PURPOSE

DOCKET CONTROL

The purpose of this tariff is to promote the conservation of groundwater by enabling the Company to bring an action for damages or to enjoin any activity against a person who tampers with the water system.

REQUIREMENTS:

The requirements of this tariff are governed by Rules of the Arizona Corporation Commission, specifically Arizona Administrative Code ("AAC") R14-2-410 and the Arizona Department of Water Resources' Required Public Education Program and Best Management Practices in the Modified Non-Per Capita Conservation Program.

- 1. In support of the Company's water conservation goals, the Company may bring an action for damages or to enjoin any activity against a person who: (1) makes a connection or reconnection with property owned or used by the Company to provide utility service without the Company's authorization or consent; (2) prevents a Company meter or other device used to determine the charge for utility services from accurately performing its measuring function; (3) tampers with property owned or used by the Company; or (4) uses or receives the Company's services without the authorization or consent of the Company and knows or has reason to know of the unlawful diversion, tampering or connection. If the Company's action is successful, the Company may recover as damages three times the amount of actual damages.
- 2. Compliance with the provisions of this tariff will be a condition of service.
- 3. The Company shall provide to all its customers, upon request, a complete copy of this tariff and AAC R14-2-410. The customers shall follow and abide by this tariff.
- 4. If a customer is connected to the Company water system and the Company discovers that the customer has taken any of the actions listed in No. 1 above, the Company may terminate service per AAC R14-2-410.
- If a customer believes he/she has been disconnected in error, the customer may contact the Commission's Consumer Services Section at 1-800-222-7000 to initiate an investigation.

APPROVED FOR FILING DECISION #: 14366

TARIFF SCHEDULE

ORIGINAL

Tariff Sheet No.: 1 of 4
Decision No.:
Effective: August 11, 2013

CURTAILMENT PLAN FOR: __Antelope Water Company, Inc

ADEQ Public Water System No: AZ0414001

Antelope Water Company, Inc ("Company"), is authorized to curtail water service to all customers within its certificated area under the terms and conditions listed in this tariff.

This curtailment plan shall become part of the Arizona Department of Environmental Quality Emergency Operations Plan for the Company.

The Company shall notify its customers of this new tariff as part of its next regularly scheduled billing after the effective date of the tariff or no later than sixty (60) days after the effective date of the tariff.

The Company shall provide a copy of the curtailment tariff to any customer, upon request.

Stage 1 Exists When:

Company is able to maintain water storage in the system at 100 percent of capacity and there are no known problems with its well production or water storage in the system.

Restrictions: Under Stage 1, the Company is deemed to be operating normally and no curtailment is necessary.

Notice Requirements: Under Stage 1, no notice is necessary.

Stage 2 Exists When:

- a. Company's water storage or well production has been less than 80 percent of capacity for at least 48 consecutive hours, and
- b. Company has identified issues such as a steadily declining water table, increased draw down threatening pump operations, or poor water production, creating a reasonable belief the Company will be unable to meet anticipated water demand on a sustained basis.

Restrictions: Under Stage 2, the Company may request the customers to voluntarily employ water conservation measures to reduce water consumption by approximately 50 percent. Outside watering should be limited to essential water, dividing outside watering on some uniform basis (such as even and odd days) and eliminating outside watering on weekends and holidays.

ADMINISTRATIVELY

TARIFF SCHEDULE

APPROVED FOR FILING



Utility: <u>Antelope Water Company, Inc</u>
Docket No.:

Phone No.: 928-758-4570

Tariff Sheet No.: 2 of 4

Decision No.:

Effective: Qual St 11, 2013

<u>Notice Requirements</u>: Under Stage 2, the Company is required to notify customers by delivering written notice door to door at each service address, or by United States first class mail to the billing address or, at the Company's option, both. Such notice shall notify the customers of the general nature of the problem and the need to conserve water.

Stage 3 Exists When:

- a. Company's total water storage or well production has been less than 50 percent of capacity for at least 24 consecutive hours, and
- b. Company has identified issues such as a steadily declining water table, increased draw down threatening pump operations, or poor water production, creating a reasonable belief the Company will be unable to meet anticipated water demand on a sustained basis.

<u>Restrictions</u>: Under Stage 3, the Company shall request the customers to voluntarily employ water conservation measures to reduce daily consumption by approximately 50 percent. All outside watering should be eliminated, except livestock, and indoor water conservation techniques should be employed whenever possible. Standpipe service shall be suspended.

Notice Requirements:

- 1. Company is required to notify customers by delivering written notice to each service address, or by United States first class mail to the billing address or, at the Company's option, both. Such Notice shall notify the customers of the general nature of the problem and the need to conserve water.
- 2. Beginning with Stage 3, the Company shall post at least _3___ signs showing the curtailment stage. Signs shall be posted at noticeable locations, like at the well sites and at the entrance to major subdivisions served by the Company.
- 3. The Company shall notify the Consumer Services Section of the Utilities Division of the Corporation Commission at least 12 hours prior to entering Stage 3.

Once Stage 3 has been reached, the Company must begin to augment the supply of water by either hauling or through an emergency interconnect with an approved water supply in an attempt to maintain the curtailment at a level no higher than Stage 3 until a permanent solution has been implemented.

ADMINISTRATIVELY
APPROVED FOR FILING

ORIGINAL

TARIFF SCHEDULE

Utility: Antelope Water Company, Inc	Tariff Sheet No.: 3 of 4
Docket No.:	Decision No.:
Phone No.: 928-758-4570	Effective: 10, 10, 10

Stage 4 Exists When:

a. Company's total water storage or well production has been less than 25 percent of capacity for at least 12 consecutive hours, and

b. Company has identified issues such as a steadily declining water table, increased draw down threatening pump operations, or poor water production, creating a reasonable belief the Company will be unable to meet anticipated water demand on a sustained basis.

<u>Restrictions:</u> Under Stage 4, Company shall inform the customers of a **mandatory** restriction to employ water conservation measures to reduce daily consumption. Failure to comply will result in customer disconnection. The following uses of water shall be prohibited:

- Irrigation of outdoor lawns, trees, shrubs, or any plant life is prohibited
- Washing of any vehicle is prohibited
- The use of water for dust control or any outdoor cleaning uses is prohibited
- The use of drip or misting systems of any kind is prohibited
- The filling of any swimming pool, spas, fountains or ornamental pools is prohibited
- The use of construction water is prohibited
- Restaurant patrons shall be served water only upon request
- Any other water intensive activity is prohibited

The Company's operation of its standpipe service is prohibited. The addition of new service lines and meter installations is prohibited.

Notice Requirements:

- 1. Company is required to notify customers by delivering written notice to each service address, or by United States first class mail to the billing address or, at the Company's option, both. Such notice shall notify the customers of the general nature of the problem and the need to conserve water.
- 2. Company shall post at least 3_ signs showing curtailment stage. Signs shall be posted at noticeable locations, like at the well sites and at the entrance to major subdivisions served by the Company.
- 3. Company shall notify the Consumer Services Section of the Utilities Division of the Corporation Commission at least 12 hours prior to entering Stage 4.

 ADMINISTRATIVELY
 ADDROVED FOR FILING

TARIFF SCHEDULE

ORIGINAL

Utility: <u>Antelope Water Company, Inc</u>	Tariff Sheet No.: 4 of 4
Docket No.:	Decision No.:
Phone No.: 928-758-4570	Effective: August 11, 2013

Once Stage 4 has been reached, the Company must augment the supply of water by hauling or through an emergency interconnect from an approved supply or must otherwise provide emergency drinking water for its customers until a permanent solution has been implemented.

Customers who fail to comply with the above restrictions will be given a written notice to end all outdoor use. Failure to comply with two (2) working days of receipt of the notice will result in temporary loss of service until an agreement can be made to end unauthorized use of outdoor water. To restore service, the customer shall be required to pay all authorized reconnection fees. If a customer believes he/she has been disconnected in error, the customer may contact the Commission's Consumer Services Section at 1-800-222-7000 to initiate an investigation.

ADMINISTRATIVELY APPROVED FOR FILING Company Name: ANTELOFE WATER COMPANY, INC



CROSS-CONNECTION OR BACKFLOW TARIFF

PURPOSE:				
The purpose of this tariff is to protect	ANTELOPE	WATER	COMPANY	, IDC
("Company")) water fro	om the	possibility	of
contamination caused by the backflow of co- customer's premises by requiring the installa- prevention assemblies pursuant to the provision ("A.A.C".) R14-2-405.B.6 and A.A.C. R18-4-2	ation and peri ons of the Ari	iodic testin	g of backflow	W-

REQUIREMENTS:

In compliance with the Rules of the Arizona Corporation Commission ("Commission") and the Arizona Department of Environmental Quality ("ADEQ"), specifically A.A.C. R14-2-405.B.6 and A.A.C. R18-4-215 relating to backflow prevention:

- 1. The Company may require a customer to pay for and to have installed a backflow-prevention assembly if A.A.C. R18-4-215.B or C applies.
- 2. A backflow-prevention assembly required to be installed by the customer under Paragraph 1 of this tariff shall comply with the requirements set forth in A.A.C. R18-4-215.D and E.
- 3. Subject to the provisions of A.A.C. R14-2-407 and 410, and in accordance with Paragraphs 1 and 7 of this tariff, the Company may terminate service or may deny service to a customer who fails to install a backflow-prevention assembly as required by this tariff
- 4. The Company shall give any existing customer who is required to install a backflow-prevention assembly written notice of said requirement. If A.A.C. R14-2-410.B.1.a. is **not** applicable, the customer shall be given thirty (30) days from the time such written notice is received in which to comply with this notice. If the customer can show good cause as to why he cannot install the backflow-prevention assembly within thirty (30) days, the Company or Commission Staff may suspend this requirement for a reasonable period of time.

FOR OFFICIAL USE ONLY

Effective Date: Hugust 11, 2013

ADMINISTRATIVELY
APPROVED FOR FILING



- 5. Testing shall be in conformance with the requirements of A.A.C. R18-4-215.F. The Company may require the customer to pay to have the backflow-prevention assembly tested as long as the Company does not require an unreasonable number of tests.
- 6. The customer shall provide the Company with records of installation and testing. For each backflow-prevention assembly, these records shall include:
 - a. assembly identification number and description:
 - b. location
 - c. date(s) of test(s):
 - d. description of repairs and recommendations for repairs made by tester:
 - e. the tester's name and certificate number.
- 7. In the event the backflow-prevention assembly does not function properly or fails any test, and an obvious hazard as contemplated under A.A.C. R14-2-410.B.1.a. exists, the Company may terminate service immediately and without notice. The backflow-prevention assembly shall be repaired or replaced by the customer and retested.
- 8. In the event the backflow-prevention assembly does not function properly or fails any test, or in the event that a customer fails to comply with the testing requirement, and A.A.C. R14-2-410.B.1.a. is **not** applicable, the backflow-prevention assembly shall be repaired or replaced within fourteen (14) days of the initial discovery of the deficiency in the assembly or its function. Failure to remedy the deficiency or dysfunction of the assembly, or failure to retest, shall be grounds for termination of water service in accordance with A.A.C. R14-2-410.

FOR OFFICIAL USE ONLY

Effective Date: Pugust 11, 2013