

WATER TARIFF SCHEDULE

UTILITY: Berneil Water Company
DOCKET NO. U-1275-95-306

DECISION NO. 59552
EFFECTIVE: 4/1/96

ORIGINAL

RATES AND CHARGES

CUSTOMER/MINIMUM CHARGES
PER MONTH

SERVICE LINE & METER
INSTALLATION CHARGES

METER	CHARGES	GALLONS
5/8 x 3/4"	\$ 4.40 FOR	2,000
3/4"	\$ 5.00 FOR	2,000
1"	\$ 7.50 FOR	2,000
1 1/2"	\$ 8.75 FOR	2,000
2"	\$ 10.00 FOR	2,000
3"	\$ 13.00 FOR	2,000
4"	\$ 18.80 FOR	2,000
5"	\$ 0.00 FOR	0,000
6"	\$ 34.50 FOR	2,000

METERS	CHARGES
5/8 x 3/4"	\$ 365.00
3/4"	\$ 405.00
1"	\$ 455.00
1 1/2"	\$ 665.00
2"	\$1,080.00
3"	\$1,460.00
4"	\$2,985.00
5"	\$ 0.00
6"	\$4,450.00

IN EXCESS OF LIMIT

\$ 0.69 PER GALLON FROM 2,001- 20,000 GALLONS
\$ 1.53 PER GALLON FROM 20,001- + GALLONS

IN EXCESS OF LIMIT: PER 1,000 GALLONS

SERVICE CHARGES:

- | | |
|--|-------------------------------------|
| 1. ESTABLISHMENT (R14-2-403.D.1) | \$25.00 |
| 2. ESTABLISHMENT/AFTER HOURS (R14-2-403.D.2) | \$35.00 |
| 3. RECONNECTION/DELINQUENT (R14-2-403.D.1) | \$12.50 |
| 4. NSF CHECK (R14-2-409) | \$10.00 |
| 5. METER REREAD/IF CORRECT (R14-2-403.C.2) | \$7.50 |
| 6. METER TEST/IF CORRECT (R14-2-408.F.1) | \$30.00 |
| 7. DEFERRED PAYMENT (R14-2-408.F.1) | 1.50 % PER MO |
| 8. DEPOSIT INTEREST (R14-2-403.B.3) | PER RULE |
| 9. DEPOSIT (R14-2-403.B.7) | PER RULE |
| 10. RE-ESTABLISHMENT W/N 12 MONTHS (R14-2-403-D.1) | MONTHS OFF THE SYSTEM TIMES MINIMUM |

OTHER RATES AND CHARGES APPROVED BY ORDER:

IN ADDITION TO THE COLLECTION OF ITS REGULAR RATES AND CHARGES, THE COMPANY SHALL COLLECT FROM ITS CUSTOMERS THEIR PROPORTIONATE SHARE OF ANY PRIVILEGE, SALES OR USE TAX IN ACCORDANCE WITH R14-2-409.D.5.

LATE FEE (PER MONTH): 1.50% MONTHLY FIRE SPRINKLER SERVICE: \$5.00

APPROVED FOR FILING
DECISION #: 59552

CROSS-CONNECTION OR BACKFLOW TARIFF

PURPOSE:

The purpose of this tariff is to protect Berneil Water Company water from the possibility of contamination caused by the backflow of contaminants that may be present on the customer's premises by requiring the installation and periodic testing of backflow-prevention assemblies pursuant to the provisions of the Arizona Administrative Code (A.A.C.) R-14-2-405.B.6 and A.A.C. R18-4-232.

REQUIREMENTS:

In compliance with the Rules of the Arizona Corporation Commission (Commission) and the Arizona Department of Environmental Quality (ADEQ), specifically A.A.C. R14-2-205.B.6 and A.A.C. R18-4-232 relating to backflow prevention:

1. The Company may require a customer to pay for and to have installed a backflow-prevention assembly if A.A.C. R18-4-232.B OR C applies.
2. A backflow-prevention assembly required to be installed by the customer under Paragraph 1 of this tariff shall comply with the requirements set forth in A.A.C. R18-4-232.D and E.
3. Subject to the provisions of A.A.C. R14-2-407 and 410, and in accordance with paragraphs 1 and 7 of this tariff, the Company may terminate service or may deny service to a customer who fails to install a backflow-prevention assembly as required by the tariff
4. The Company shall give any existing customer who is required to install a backflow-prevention assembly written notice of said requirement. If A.A.C. R14-2-410.B.1.a is not applicable, the customer shall be given thirty (30) days in which to comply with this notice. If the customer can show good cause as to why he cannot install the devise within thirty (30) days, the Company or Commission Staff may suspend this requirement for a reasonable period of time.

Effective Date: JANUARY 13, 1995

APPROVED FOR FILING
by operation of law
DECISION #: _____

5. Testing shall be in conformance with the requirements of A.A.C. R-18-4-232.F. The Company may require the customer to pay to have the backflow-prevention assembly tested as long as the Company does not require an unreasonable number of tests. The Company may also require the customer to pay for repairs to a backflow-prevention assembly.
6. The customer shall provide the Company with records of installation and testing. For each backflow-prevention assembly, these records shall include:
 - a. assembly identification number and description;
 - b. location;
 - c. date (s) of test (s);
 - d. description of repairs and recommendations for repairs made by tester; and
 - e. the tester's name and certificate number.
- 7A. In the event the backflow-prevention assembly does not function properly or fails any test, and a hazard as contemplated under A.A.C. R14-2-410.B.1.a exists, the Company may terminate service immediately and without notice. The backflow-prevention assembly shall be repaired or replaced by the customer and retested before service is restored.
- 7B. In the event the backflow-prevention assembly does not function properly or fails any test, or in the event that a customer fails to comply with the testing requirement, and A.A.C. R14-2-410.B.1.a is not applicable, the backflow-prevention assembly shall be repaired or replaced within fourteen (14) days of the initial discovery of the deficiency in the assembly or its function. Failure to remedy the deficiency or disfunction of the assembly, or failure to retest, shall be grounds for termination of water service in accordance with A.A.C. R-14-2-410.

Effective Date: JANUARY 13, 1995

APPROVED FOR FILING
by operation of law
DECISION #: _____